



# FEIN VersaMAG vise set

Magnetic vice with a jaw width of 100 mm.

Compact and powerful permanent magnet with vice for clamping various components on magnetic surfaces without the need for any tools.

Product number: 9 07 01 003 02 0

# **Details**

- → Mobile, flexible and swift use. Adapts to every workstation thanks to the compact design and extra-narrow permanent magnet.
- → Optimises every workstation: clean and reliable working with versatile application options.
- → Modular system: the unique modular system ensures a secure hold in a very wide range of work situations and the right accessories can be added at any time.
- + The vice has a clamping range of 108 mm and a jaw width of 100 mm.
- Interchangeable clamping jaws of various heights for clamping larger materials such as

- sheet metal and pipes.
- → Up to 7800 N holding force for reliable clamping on all magnetic surfaces thanks to an innovative 2-rotor system – even when working with thin sheet metals (from a thickness of 4 mm).
- + Clamping in tight sports or on vertical levels? Not a problem with the compact design and extra-narrow permanent magnet.
- + 30% magnetic bias for precise alignment of the permanent magnet.
- Secure clamping of components for further machining with various power tools, e.g. angle grinders, drill/drivers, saws, MULTIMASTER etc.

## Price includes

- + 1 x permanent magnet
- + 1 x vice
- + 1 lashing strap

- + 1 x mounting plate
- + 1 x 3 mm socket head wrench

#### Technical data

## TECHNICAL DATA

Chuck opening

Jaw height

Jaw width

108 mm

40 mm

100 mm



Magnetic holding power

Magnetic foot dimensions

Weight according to EPTA

7,800 N

212 x 70 mm

7.25 kg

# Application examples



































