

RS 17-70 E set

Pipe sander

Pipe sander with extremely high sanding capacity for stainless steel pipes and pipe bends up to 80 mm in diameter.

Product number: 7 222 75 61 00 0



Details

- + Effective sanding of welded seams thanks to optimum cutting speeds of the sanding belts.
- + Infinitely variable speed, ideal for sanding, satin finishing, brushing and high-gloss polishing of stainless steel.
- + Flexible sanding belts optimally adapt to even narrow pipe bends, creating surfaces without awkward transitions.
- + 360° peripheral sanding in just 2 steps.
- + Optional guide pulleys for narrow distances from the wall.
- + Restart lock.
- + Dustproof ball bearing.
- + Wide range of accessories.

Price includes

- + 2 x 10 pcs. polishing belts, 20x815 mm P120/P180
- + 2 x 10 pcs. polishing belts, 40x815 mm P120/P180
- + 5 fleece belts 20 x 820 mm very fine
- + 1 plastic carrying case

Product feature

- + Soft start
- + Restart protection

Application



Polishing

+

Rough sanding

++

Dry sanding

++

+ suitable

++ well suitable

Technical data

TECHNICAL DATA

Input	1,700 W
Output	1,000 W
Speed, no load	2,700 - 8,500 rpm
Minimum wall clearance	50 mm
Belt speed	9 - 27 m/sec
Pipes up to Ø	8 - 80 mm
Belt size	20/40 x 815 mm
Cable with plug	4 m
Weight according to EPTA	4.30 kg

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA	94,1 dB 3 dB
Sound power level LWA Uncertainty of measured value KWA	102,3 dB 3 dB
Sound peak value LpCpeak Uncertainty of measured value KpCpeak	107,9 dB 3 dB
Vibration value 1 α_{hv} 3-way Uncertainty of measured value K α	5,9 m/s ² 1,5 m/s ²

Application examples



FEIN

