



AKBU 35 PMQ AS

Cordless universal magnetic core drill for up to 35 mm

Small and powerful single-speed cordless universal magnetic core drill with forward/reverse running, MT2 tool mounting, permanent magnet and maximum functionality for mobile working on the construction site.

Product number: 7 170 03 61 00 0



Details

- Extremely wear-resistant and durable tool concept thanks to brushless motor as well as high material quality and workmanship.
 Designed for up to 60,000 holes during a 300 h usage period.
- Small and light tool with increased work progress of up to 25%, offering unique productivity and battery life compared with the competition. Using 18 V 12 Ah AMPShare ProCORE batteries, up to 48 holes can be drilled per battery charge (carbide core drill bit, diameter 18 mm, S235 12 mm).
- Weighing 12.2 kg, it's the lightest cordless universal core drill in the world. Maximum flexibility for all mobile drilling work, such as core drilling, twist drilling, tapping, countersinking and reaming thanks to forward/reverse running, electronic speed setting and a 260 mm stroke range.
- Intuitive operating concept avoids mix-ups and can be clearly seen by the user.
- Convenient magnetic holding force display helps the user to reliably position the tool.
- + Tilt sensor stops the drill motor when the tool

slips or tilts.

- MT2 tool mounting for direct use of industrial tools.
- Secure positioning thanks to extra narrow permanent magnet with magnetic bias for convenient and simple alignment.
- + Speed saving "memory function".
- Compatible with Bosch Professional 18 V batteries (available since 2008) and AMPShare batteries.
- COOLPACK 2.0 technology delivers a 135% longer battery life and therefore makes longer operating times possible.
- State-of-the-art cell technology and intelligent battery management deliver 87% more power than with conventional batteries.
- ProCORE Li-Ion battery with high-power cells, charge status indicator and "Electronic Cell Protection" (ECP). ECP protects against overload, overheating and total discharge.
- + * Also available with accessories.
- ** Outstanding performance with AMPShare ProCore 18 V 8.0 Ah / 12.0 Ah

Price includes

- + 1 cordless magnetic core drill
- + 1 lashing strap
- + 1 centring pin 100 mm
- + 1 drift key

Product feature

- + Magnetic holding force display
- + Variable speed control
- Speed-controlled electronics (tacho)

- + 1 x coolant pump
- + 1 swarf hook
- + 1 contact guard
- + 1 plastic carrying case
- + Reversible rotation
- + Memory function
- + Tilt sensor

Application



- Core drilling in metal with a Ø up to 35 mm
- Twist drills with drill chuck (DIN 338)
- Twist drills with MK fitting (DIN 345)

Tapping

- Countersinking
- Reaming
- Working overhead
- Installation work

Workshop jobs

Technical data

TECHNICAL DATA



+ suitable + + well suitable

VIBRATION AND SOUND EMISSION VALUES

Battery voltage	18 V	Sound pressure level LpA Uncertainty of measured value KpA	82,4 dB 3 dB
Battery compatibility	Li-ion / ProCORE Li- ion**		
		Sound power level LWA Uncertainty of measured value KWA	93,4 dB 3 dB
Battery interface	18 V AMPShare		
Motor	brushless	Sound peak value LpCpeak Uncertainty of measured value KpCpeak	97,1 dB
Speed, full load	130 - 520 rpm		3 dB
Tool Holder	MT 2	Vibration value 1 $lpha$ hv 3- way	α h,D 0,6 m/s²
Carbide core drill bit max. Ø	35 mm	Uncertainty of measured value Kα	1,5 m/s²

HSS core drill max. Ø

35 mm



Core drill, drilling depth max.

Twist drill max. Ø

Tapping

Countersinking max. $\ensuremath{\varnothing}$

Reaming max. Ø

Core drill holder

Changing the core bit

Stroke

Total stroke range

Magnetic holding power

Magnetic foot dimensions

Weight without storage battery

	50(75)* mm
	18 mm
	M 14
j	30 mm
	18 mm
	QuickIN
	tool-free
	135 mm
	260 mm
er	9,000 N
	195 x 70 mm
9	12.20 kg

Application examples

















Kompatibel mit AMPShare-/ Bosch Professional 18 V Akkus. | Compatible with AMPShare/Bosch

with AMPShare/Bosch Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterias AMPShare/Bosch Professional de 18 V. | Compatible con le batterie AMPShare / Bosch Professional da 18 V.