



# Cordless MULTIMASTER AMM 500 AS 2 Ah with nylon bag

## Battery-powered oscillating multi-tool

Powerful 18-accessory battery multitool for sawing and grinding. Always on the go with everything at your fingertips in the convenient nylon bag, including an 18 V 2 Ah battery and charger.

Product number: 7 129 38 69 00 0

## Details

- + Anti-vibration system: continuously safe and pleasant working thanks to minimal vibrations and outstanding noise insulation.
- + StarlockPlus tool mounting: more work progress and greater precision thanks to 100% power transmission without losses.
- + QuickIN: tool changes in less than 3 seconds thanks to the patented tool-free FEIN rapid clamping system.
- + With the StarlockPlus tool mounting, you can access around 100 FEIN accessories from the Starlock and StarlockPlus performance classes.
- + DC motor: effective and powerful motor technology offering virtually the same power as the mains-powered version.
- + Tacho generator: constant speeds even under load and infinitely variable electronic speed control.
- + Metal gearbox: ability to withstand high loading and outstanding service life because all the gearbox parts are made from metal.
- + Mechanical interface: for stationary operation in the table or drill jig holder or for securing the depth stop.
- + Electronic Cell Protection (ECP): ECP protects against overload, overheating and total discharge.
- + The COOLPACK technology ensures a longer battery life and therefore makes long operating periods possible.
- + The battery charge can be read off the battery.
- + Compatible with AMPShare/Bosch Professional 18 V batteries.

## Price includes

- + 1 saw blade SLP E-Cut LL BIM 50x50
- + 1 saw blade SLP E-Cut LL BIM 50x35
- + Sanding sheets, non-perforated (5 each K60, 80, 120)
- + 1 sanding pad, non-perforated
- + 1 Li-ion battery packs (18 V / 2 Ah)
- + 1 rapid charger GAL 1880 CV AS
- + 1 nylon bag

## Technical data

### TECHNICAL DATA

Battery voltage	18 V
Battery capacity	2 Ah
Battery compatibility	Li-ion / ProCORE Li-ion
Battery interface	18 V AMPShare
Oscillations	11,000 - 18,500 rpm
Tool Holder	StarlockPlus
Tool change	QuickIN
Amplitude	2 x 1,7°
Weight without storage battery	1.30 kg

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA  
Uncertainty of measured value  
KpA

76,0 dB  
3 dB

Sound power level LWA  
Uncertainty of measured value  
KWA

84,0 dB  
3 dB

Sound peak value  
LpCpeak  
Uncertainty of measured value  
KpCpeak

88,4 dB  
3 dB

## Application examples



Powered by  BOSCH

**Kompatibel mit  
AMPShare-/ Bosch  
Professional 18 V  
Akkus.** | Compatible  
with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec  
les batteries 18 V AMPShare/Bosch Professional. |  
Compatible con baterías AMPShare/Bosch  
Professional de 18 V. | Compatibile con le batterie  
AMPShare / Bosch Professional da 18 V.



