MKAS 355

Metal chop saw

Saw safely with speed and precision with the chop saw for metal.

Product number: 7 236 54 60 00 0

Details

- Up to 100% non-sparking: cold cuts for safe working without dust.
- Fast and precise dividing: maximum work progress with minimal rework.
- A versatile all-rounder: the right saw blade for every material.
- Angle can be set to 0–45° for mitre cuts.
- Quick clamping device for table clamp.
- Depth stop
- Swarf collecting vessel.
- Dead man's switch.

Price includes

- 1 saw blade for construction steel
- 1 socket head wrench 8 mm
- 1 combination wrench: 6 mm hexagon socket and PH2 cross recess
- 1 pair of extra carbon brushes

Application

Installation work	++
Workshop jobs	++

\+ suitable
++ well suitable

Technical data

TECHNICAL DATA

Current/Voltages	230 V
Input	1,800 W
Output	1,050 W
Speed, no load	1,300 rpm
Saw blade Ø	355 mm
Holder mandrel	25.4 mm
Max. cutting depth, square	120 mm
Max. cutting depth, square at 45°	90 mm
Max. cutting depth, round	100 mm
Max. cutting depth, round at 45°	90 mm
Cable with plug	4 m
Weight	24.4 kg

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA	95,3 dB 3 dB
Sound power level LWA Uncertainty of measured value KWA	106,3 dB 3 dB
Sound peak value LpCpeak Uncertainty of measured value KpCpeak	110,9 dB 3 dB
Vibration value 1 αhv 3-way Uncertainty of measured value Kα	ah = 2,7 m/s² 1,5 m/s²

Application examples

Mild Steel Cutting