



FEIN Dustex 35 MX

Wet / dry dust extractor

Powerful, professional wet/dry dust extractor of dust class M for attachment of various case systems including extensive accessories.

Product number: 9 20 31 060 00 0



Details

- Approved for holding hazardous dusts of class M.
- Tool cases of various systems can be simply positioned on the extraction head and secured.
- Ergonomic transport of the complete unit, including power tool and extractor, thanks to push bar and case and accessory attachment.
- Reliable suction of different types of dirt from liquids to fine dusts.
- + With PES flat fold filter and electronic shut-off

for outstanding wet extraction performance.

- Auto start socket with switch-on delay to avoid power surges.
- Infinitely variable suction force regulation on the extractor.
- The 7.5 m mains cable and 4 m hose provide a large working radius.
- Anti-static function for preventing static charging during work - electrostatically discharging.

Price includes

- + 1 push bar
- + 1 premium fleece filter bag
- 1 tool collar with suction force regulation
- 2 suction pipes (metal), 1 combinozzle with interchangeable inserts, 1 crevice nozzle, 1 suction brush, 1 elbow

Product feature

- + Automatic start/stop
- + Antistatic preparation
- + Case storage

Technical data

TECHNICAL DATA

Maximum power input

Air flow

1,380 W

4,320 l/min

+ 1 PES flat fold filter

- 1x 4 m ES suction hose, diameter 35 mm
- + 1 stepped collar


- + Soft start
- + Anti-static function
- + Dust class

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA

Sound power level LWA

Uncertainty of measured value





Max. vacuum	254 hPa
Tank volume	35
Cable with plug	7.5 m
Sound pressure level	67 dB
Weight according to EPTA	13.50 kg

KWA

Vibration value 1 αhv 3-way

2 dB

< 2,5 m/s²

Application examples

