



WSG 11-125 RT

Compact Angle Grinder Ø 5 in

Handy 1,100 W compact angle grinder with FEIN ErgoGrip for fatigue-free work.

Product number: 7 221 87 60 09 0

Details

- + Longer carbon brush service life and more material removal than comparable angle grinders.
- + Solid metal gear head for maximum strength and service life.
- + The lightest of its type.

- + H 07 Industrial-strength cable.
- + Best vibration values in its class.
- + Tool-free, adjustable, nonslip safety guard.
- + Spindle lock.
- + The lightest of its type.
- + AutoStop dead man's switch

Price includes

- + 1 guard
- + 1 additional handle

- + 1 pair of flanges
- + 1 wrench

Product feature

+ AutoStop dead man's switch

Application



Material removal

Deburring

+

Cutting

Brushing

+ suitable
+ well suitable

VALUES

VIBRATION AND SOUND EMISSION

Technical data

TECHNICAL DATA

Power consumption	1,100 W	Sound pressure level LpA Measurement uncertainty of the measured value KpA	90 dB 3 dB
Power output	700 W		
No load speed	11,000 rpm	Sound power level LWA Measurement uncertainty of the measured value KWA	101 dB 3 dB
Grinding wheel Ø	5 [125] in[mm]	Peak sound value	105 dB
Elastic backing pad Ø	5 [125] in[mm]	LpCpeak Measurement uncertainty of the measured value KpCpeak	3 dB
Mounting thread	5/8-11 in		
Cable with plug	13.1 [4] ft[m]	Vibration value 1 αhv 3- way Vibration value 2 αhv 3-way	7,9 m/s² 1,5 m/s²
Weight	5.29 lbs	Measurement uncertainty of the measured value K α	1,5 m/s²

Application examples





