

AMP Share
Powered by BOSCH



Cordless MULTIMASTER AMM 700 1.7 Q Autoglas AS

Cordless oscillating multi-tool

Our best oscillating cordless MultiMaster for the automotive sector incl. extensive accessories for removing windshields and working on car bodies.

Product number: 7 129 37 62 09 0

Details

- + Designed for removing windshields and working on car bodies.
- + Anti-vibration system: Permanently safe, pleasant working conditions with minimum vibrations and outstanding noise damping.
- + QuickIN: Tool change in under 3 seconds with a patented, tool-free, FEIN rapid-clamping system.
- + 12-sided mount for optimal torque transfer.
- + 18 V FEIN PowerDrive motor: Especially powerful, virtually wear-free brushless motor with high efficiency, extremely high load handling and long service life.
- + Tacho generator: Constant speeds, even under load, and infinitely variable electronic speed control.
- + Metal drive head: High load capacity and maximum service life, since all drive head parts are made of metal.
- + Electronic cell protection (ECP): ECP protects storage batteries against overloading, overheating and deep discharge.
- + COOLPACK technology ensures a longer storage battery service life, enabling longer operation times.
- + The battery capacity can be read directly on the battery.
- + Compatible with AMPShare/Bosch Professional 18 V batteries from 2008 on.
- + Perfectly equipped for any job with our L-BOXX system.

Price includes

- + 1 protective cover for accessory changes
- + 2 U-shaped cutting blades, reinforced model (types 157 and 111)
- + 2 L-shaped cutting blades, toothed (type 208)
- + 3 L-shaped cutting blades, serrated (type 207)
- + 1 whetstone (63719010014)
- + 2 Li-ion battery packs (18 V / 4 Ah)
- + 1 straight cutting blade, offset, serrated (type 081)
- + 1 L-shaped cutting blade, serrated (type 209)
- + 2 U-shaped cutting blades, reinforced model, serrated (type 212)
- + 1 straight cutting blade, offset, with adjustable roller stop (type 143)
- + 1 rapid charger GAL 1880 CV AS
- + 1 tool case (L-BOXX 136)

Technical data

TECHNICAL DATA

Battery voltage

18 V

Battery capacity

4 Ah

Battery compatibility

Li-ion / CORE 18 V Li-ions

Battery interface

18 V AMPShare

Oscillations

10,000 - 19,500 opm

Tool mount

12-sided

Tool change

QuickIN

Range

2 x 1,7°

Weight without battery

2.43 [1.10] lbs[kg]

Application examples



Powered by



Compatible with
AMPShare/Bosch
Professional
18 V batteries. |

Compatible avec les batteries 18 V
AMPShare/Bosch Professional. |

Compatible con baterías AMPShare/
Bosch Professional de 18 V.

