



# **Turbo II X AC PRO Set HEPA**

### Wet/Dry Dust Extractor

Powerful, HEPA, professional wet / dry vacuum cleaner with fully automatic filter cleaning, for attachment of various case systems, includes extensive accessories.

Product number: 9 20 30 070 99 0



#### **Details**

- + Tool cases from various systems can be placed on the vacuum lid and secured.
- → Ergonomic transport of the complete unit, consisting of part tool and vacuum, thanks to push handle, case and accessory fastening.
- + Fully automatic filter cleaning (AC) for uninterrupted work thanks to the longer service life of the specially designed HEPA filter.
- + Reliable vacuuming of all types of dirt from liquids to fine dusts as well as hazardous materials.
- + Electronic shutdown for outstanding wet vacuuming performance.
- + Autostart outlet with power-on delay to prevent current spikes.
- + 25 ft [7.5 m] power cable and 13 ft [4 m] antisuction hose provide a large operating radius.

#### Price includes

- + 1 hand guard
- + 1 disposal bag
- + 1 tool coupling with suction control
- 2 metal extension tubes, 1 combination tool with interchangeable inserts, , 1 crevice nozzle, 1 dusting brush, 1 elbow
- + 1 HFPA filter
- + 1 anti-static suction hose 13 ft [4 m], 1-3/8 in [35 mm] dia.
- + 1 step adapter

#### Product feature

- + Automatic on/off
- + Automatic filter cleaning
- + Anti-static function
- + Dust class

- + Soft-start
- + Anti-static preparation
- + Case storage

#### Technical data

#### TECHNICAL DATA

## VIBRATION AND SOUND EMISSION VALUES

Maximum power input

Suction capacity

Static water lift

1,100 W

153 [4,320] cfm[l/min]

98 [245] psi[bar]

Sound pressure level LpA Measurement uncertainty of the measured value KpA

Sound power level LWA Measurement uncertainty of the measured value KWA 67 dB 2 dB

81 dB 2 dB



Capacity

9.2 [35] gal[l]

24.6 [7.5] ft[m]

Sound pressure level

Cable with plug

70 dB

Weight

31.08 lbs

Vibration value 1  $\alpha$ hv 3-way

< 2,5 m/s<sup>2</sup>

## Application examples

