



WPO 14-15 E

Polishers

Extremely powerful angle polisher for vehicle and boat repairs.

Product number: 7 221 48 00 23 0

Details

- Ideal speed range with infinitely variable speed control for professional surface processing on vehicles and boats.
- Maximum speed stability at any load over the full setting range thanks to mechanical gear reduction in conjunction with the FEIN highpower motor.
- → Special system accessories for the efficient refurbishment of used car paintwork, new car paintwork and highly scratch-resistant paints, and for cleaning, sanding and polishing boat surfaces and gelcoat layers.

- + Convenient speed adjustment.
- + Does not heat up in continuous use.
- + Handle cover for excellent ergonomics.
- + Spindle lock.
- + Right or left-handed operation.
- + Restart protection.
- + Soft start.
- + Carbon brushes with self cut-off function.
- + Can be converted to rotary sander with extractor hood and backing pad.

Price includes

+ 1 Grip hood

+ 1 additional handle

Product feature

- + Soft start
- + FEIN high-power motor


- + Restart protection
- + Spindle lock

Application

Polishing

Rough sanding

Fine sanding





Dry sanding

Micro-sanding

++

+ suitable

++ well suitable

Technical data

TECHNICAL DATA

Input 1,200 W Output 750 W Speed, no load 500 - 1,500 rpm Polishing disc Ø 230 mm Mounting thread M 14 Cable with plug 4 m Weight according to EPTA Endown 1,200 W 250 W 230 mm 230 mm 230 mm

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA	84 dB 3 dB
Sound power level LWA Uncertainty of measured value KWA	95 dB 3 dB
Sound peak value LpCpeak Uncertainty of measured value KpCpeak	100 dB 3 dB
Vibration value 1 α hv 3-way Vibration value 2 α hv 3-way	α h,P 2,5 m/s² α h,SG 2,5 m/s²
Uncertainty of measured value $K\alpha$	1,5 m/s²

Application examples









