



## **ASCD 18-300 W2 AS Impact-tapping-top Set**

User set contains a cordless impact wrench/driver

Cordless impact wrench/driver with 1/2" square head tool mounting. The set includes 1/2" VARIO adapter, 5-part FEIN VARIO tapper set for through holes and circlip along with a battery (GBA 18 V 5.0 Ah AS) and rapid charger (GAL 1880 CV AS).

Product number: 7 115 10 64 00 0

## Details

- + For extreme precision work: The ASCD 18-300 W2 AS with electronic torque setting (6 levels) prevents screw heads from shearing off.
- + Impact wrench/driver-compatible VARIO adapter turns the impact wrench/driver into a tapper, thereby adding a whole new tool to the range of applications.
- + The 5-part FEIN VARIO tapper set covers sizes M8, M10, M12, M14, M16.
- + VARIO tapper for through holes. Long service life, thanks to high material strength (64 HRC), special cutting geometries suited to impact wrench/drivers and a TiAlN (titanium-aluminium-nitride) coating. The bits experience low levels of wear and friction as well as being heat-resistant to 800 °C. Thanks to the high speeds and number of blows, they can therefore be used in steel up to 900 N/mm<sup>2</sup>.
- + Brushless FEIN PowerDrive motor with 30 % higher efficiency and long service life.
- + 1/2" square for holding sockets.
- + Metric screws up to M18 (8.8).
- + Compatible with Bosch Professional 18 V batteries (available since 2008) and AMPShare batteries.
- + Maximum work progress with AMPShare 18V storage batteries: COOLPACK 1.0 technology ensures a longer storage battery life compared with batteries without COOLPACK technology and therefore makes longer operating periods possible. ECP protects the storage battery against overload, overheating and total discharge.
- + Ideally equipped for every form of use. Mobile working with the L-BOXX system.

## Price includes

- + 1 x ASCD 18-300 W2 AS (including belt clip, bit holder)
- + 1 rapid charger GAL 1880 CV AS
- + 1 x 5-part VARIO tapper set (M8, M10, M12, M14, M16)
- + 1 tool case (L-Boxx 136)
- + 1 BATTERY PACK GBA 18 V 5.0 AH AS
- + 1 X 1/2" VARIO adapter
- + 1 x locking spring

## Technical data

### TECHNICAL DATA

Battery voltage	18 V
Battery compatibility	Li-ion / ProCORE Li-ion
Battery interface	18 V AMPShare
Motor	brushless

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA	99,2 dB 3 dB
Sound power level LWA Uncertainty of measured value KWA	107,2 dB 3 dB

Speed, no load	0 - 1700 rpm	Sound peak value LpCpeak	121,5 dB
Impacts	0 - 3400 rpm	Uncertainty of measured value KpCpeak	3 dB
Max. torque	290 Nm	Vibration value 1 $\alpha_{hv}$ 3-way	$\alpha_h$ 15,0 m/s <sup>2</sup>
Torque levels	6	Uncertainty of measured value K $\alpha$	1,5 m/s <sup>2</sup>
Tool Holder	1/2" Outer square		
Max. metric screw	M18 (8.8)		
Wood screw $\emptyset$	8 x 300 mm		
Weight without storage battery	1.20 kg		

### Application examples



**AMPSHARE** | **BOSCH**  
 Powered by **BOSCH**  
**Kompatibel mit AMPShare-/ Bosch Professional 18 V Akkus.** | Compatible with AMPShare/Bosch Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterias AMPShare/Bosch Professional de 18 V. | Compatible con le batterie AMPShare / Bosch Professional da 18 V.

