



## WBP 10

### Angle drill up to 10 mm

Extremely small angle drill for working in difficult-to-reach spots.

Product number: 7 205 51 60 00 0

## Details

- + FEIN high-power motor with good speed stability for constant drilling progress in almost any application.
- + Particularly flat and slim design with 17 mm width across corners and 96 mm gearbox head height for work in tight spaces and corners.
- + Flexible and universal use thanks to clockwise and reverse running for thread cuts up to M6.
- + Metal gear head.
- + Tapered drill shaft.
- + High-precision metal drill chuck.
- + High concentricity.
- + Distortion-free barrel-type motor housing.
- + FEIN Sensitive Handle.
- + 5 metre cable.

## Price includes

- + 1 3-jaw chuck up to  $\varnothing$  10 mm
- + 1 drill chuck key

## Technical data

### TECHNICAL DATA

Input	500 W
Output	270 W
Speed, full load	0 - 1,030 rpm
Speed, no load	0 - 1,830 rpm
Torque at max. output	8 Nm

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA	82 dB 3 dB
Sound power level LWA Uncertainty of measured value KWA	93 dB 3 dB
Sound peak value LpCpeak Uncertainty of measured value	96 dB



power		KpCpeak	3 dB
Stall torque	21 Nm	Vibration value 1 $\alpha_{hv}$ 3-way	3 m/s <sup>2</sup>
Drill chuck clamping width	0.8 - 10 mm	Uncertainty of measured value $K\alpha$	1,5 m/s <sup>2</sup>
Capacity in steel $\emptyset$	10 mm		
capacity in $\emptyset$ stainless steel	10 mm		
Capacity in alu $\emptyset$	15 mm		
Capacity in wood $\emptyset$	25 mm		
Tapping	M 6		
Cone at drill shaft	B 10		
Width across corners	17 mm		
Gearbox head height	96		
Cable with plug	5 m		
Weight according to EPTA	1.50 kg		
Weight according to EPTA	1.50 kg		

## Application examples



**FEIN**

