



## **WSG 7-125**

## Compact angle grinders, Ø 125 mm

Ergonomic 700 W compact angle grinder for light-duty sanding and cutting.

Product number: 7 222 65 60 00 0

### Details

- + Perfect ergonomics thanks to lateral slide switch and small grip dimension.
- + Fatigue-free working thanks to low weight.
- Solid metal gearbox head can be turned in 90° steps for maximum robustness and service life
- and very good access to difficult-to-reach spots.
- + Enhanced safety through integrated restart protection.

#### Price includes

- + 1 wheel guard
- + 1 additional handle

- + 1 pair of flanges
- **+** 1 key

#### Product feature

+ Restart protection

# **Application**



Roughing-down Deburring Dividing + suitable ++ well suitable Technical data TECHNICAL DATA VIBRATION AND SOUND EMISSION

		VALUES	
Input	750 W	Sound pressure level LpA Uncertainty of measured value	86 dB 3 dB
Output	440 W	КрА	
Speed, no load	12,000 rpm	Sound power level LWA Uncertainty of measured value KWA	97 dB 3 dB
Grinding disc Ø	125 mm	Sound peak value	103 dB
Elast. Backing pad Ø	125 mm	LpCpeak Uncertainty of measured value KpCpeak	3 dB
Flange	M 14	Vibration value 1 <b>α</b> hv 3-	7,2 m/s²
Cable with plug	4 m	Way Vibration value 2 αhv 3-way	1,6 m/s <sup>2</sup>
Weight according to EPTA	1.80 kg	Uncertainty of measured value $K \alpha$	1,5 m/s²

# Application examples





