



MULTIMASTER MM 700 1.7 Basic

Oscillating multi-tool – MM 700

Our best oscillating MultiMaster for the automotive sector with extra flat gearbox head for working in tight spots.

Product number: 7 229 69 62 00 0

Details

- + Designed for cutting out windows and work on the car body.
- + Anti-vibration system: continuously safe and pleasant working thanks to minimal vibrations and outstanding noise insulation.
- + Hexagonal tool holder for optimum torque transfer.
- + 450 W FEIN high-power motor: high-power motor with a high copper content, which is suited to continuous use and overload for maximum cutting speed and the most rapid work progress.
- + Tacho generator: constant speeds even under load and infinitely variable electronic speed control.
- + Metal gearbox: ability to withstand high loading and outstanding service life because all the gearbox parts are made from metal.
- + Industrial cable: large working radius thanks to finely stranded 5 metre rubber cable of industrial quality.
- + Ideally equipped for every job. Mobile working with the L-BOXX system.

Price includes

- + 1 key
- + 1 Mounting bolt (3 30 01 039 01 7)
- + 1 tool case (L-BOXX 136)
- + 1 sharpening stone (63719010014)
- + 1 protective cover for tool changes

Technical data

TECHNICAL DATA

Input

450 W

Output

250 W

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA
Uncertainty of measured value
KpA

82 dB
3 dB

Sound power level LWA
Uncertainty of measured value

93 dB
3 dB



FEIN

Oscillations	10,000 - 19,500 rpm	KWA	
Tool Holder	12-sided	Sound peak value	96 dB
Tool change	Manual with screw, hexagon socket	LpCpeak	
		Uncertainty of measured value	3 dB
		KpCpeak	
Amplitude	2 x 1,7°		
Cable with plug	5 m		
Weight according to EPTA	1.45 kg		
Weight according to EPTA	1.45 kg		

Application examples



