



# Cordless MULTIMASTER AMM 700 Max AS 4 Ah with nylon bag

#### Battery-powered oscillating multi-tool

Powerful 18-accessory battery multitool for sawing and grinding. Always on the go with everything at your fingertips in the convenient nylon bag, including an 18 V 4 Ah battery and charger.

Product number: 7 129 36 65 00 0



#### Details

- Anti-vibration system: continuously safe and pleasant working thanks to minimal vibrations and outstanding noise insulation.
- StarlockMax tool mounting: more work progress and greater precision thanks to 100% power transmission without losses.
- QuickIN: tool changes in less than 3 seconds thanks to the patented tool-free FEIN rapid clamping system.
- With the StarlockMax tool mounting, you can access around 180 FEIN accessories from the Starlock, Starlock Plus and StarlockMax performance classes.
- 18 V FEIN PowerDrive motor: very powerful and virtually wear-free, brushless motor offering great efficiency, ability to handle extreme loads and a long service life.
- Tacho generator: constant speeds even under load and infinitely variable electronic speed

control.

+ 1 saw blade SLP E-Cut LL BIM

+ 1 sanding pad, non-perforated

+ 1 rapid charger GAL 1880 CV AS

50x35

- Metal gearbox: ability to withstand high loading and outstanding service life because all the gearbox parts are made from metal.
- Mechanical interface: for stationary operation in the table or drill jig holder or for securing the depth stop.
- Electronic Cell Protection (ECP): ECP protects against overload, overheating and total discharge.
- The COOLPACK technology ensures a longer battery life and therefore makes long operating periods possible.
- + The battery charge can be read off the battery.
- Compatible with AMPShare/Bosch Professional 18 V batteries.
- Electronic safety cut-off user protection should the saw blade lock, for example.

### Price includes

- 1 saw blade SLP E-Cut LL BIM 50x50
- Sanding sheets, non-perforated (5 each K60, 80, 120)
- + 1 Li-ion battery packs (18 V / 4 Ah)
- + 1 nylon bag

### Technical data

TECHNICAL DATA

# VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA

Sound power level LWA Uncertainty of measured value KWA 76,0 dB <sub>3 dB</sub>

84,0 dB 3 dB

Battery capacity

Battery voltage

Battery compatibility





Battery interface	18 V AMPShare	S
Oscillations	10,000 - 19,500 rpm	L U K
Tool Holder	StarlockMax	
Tool change	QuickIN	
Amplitude	2 x 2,0°	
Weight without storage battery	1.10 kg	

Sound peak value LpCpeak Jncertainty of measured value <pCpeak 88,4 dB

3 dB

## Application examples



Kompatibel mit AMPShare-/ Bosch Professional 18 V Akkus. | Compatible with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterías AMPShare/Bosch Professional de 18 V. | Compatibile con le batterie AMPShare / Bosch Professional da 18 V.

















