

## CG 17-125 Inox

Compact angle grinders, Ø 125 mm

Ergonomic 1700 W compact angle grinder with variable speed and high power reserve for stainless steel processing.

Product number: 7 222 82 60 00 0



### Details

- + Robust motor for daily use.
- + Long-life thanks to overload protection and long carbon brush service life.
- + Versatile due to variable speed.
- + Extensive user protection provided by kick-back monitoring, restart protection, soft start and anti-vibration handle.
- + Gearbox head can be rotated 90° for high versatility.
- + Abrasive materials can be changed at speed and without the need for any tools: quick-clamping nut included in scope of supply as standard.
- + Rapid work progress thanks to powerful motor.
- + Good ability to cope with overload thanks to direct motor cooling.
- + Industrial cable H07, length 4m.

### Price includes

- + 1 wheel guard
- + 1 anti-vibration handle
- + 1 Tool-free quick-clamping nut
- + 1 key

### Product feature

- + Soft start
- + Blockage monitoring
- + Electronic speed preselection
- + Restart protection
- + Electronic overload protection
- + Kick-back check

### Application

Roughing-down

++

Deburring

+



# FEIN

Dividing

+

Brushing

+

Satin-finishing

++

Polishing

++

+ suitable

++ well suitable

## Technical data

### TECHNICAL DATA

Input

1,700 W

Output

1,010 W

Speed, no load

2,200 - 7,500 rpm

Grinding disc Ø

125 mm

Elast. Backing pad Ø

125 mm

Flange

M 14

Cable with plug

4 m

Weight according to  
EPTA

2.40 kg

### VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA  
Uncertainty of measured value  
KpA

92 dB  
3 dB

Sound power level LWA  
Uncertainty of measured value  
KWA

103 dB  
3 dB

Vibration value 1  $\alpha_{hv}$  3-  
way  
Vibration value 2  $\alpha_{hv}$  3-way

5 m/s<sup>2</sup>  
2 m/s<sup>2</sup>

Uncertainty of measured  
value K $\alpha$

1,5 m/s<sup>2</sup>

## Application examples



