



WSG 7-125

Compact angle grinders, Ø 125 mm

Ergonomic 700 W compact angle grinder for light-duty sanding and cutting.

Product number: 7 222 65 60 00 0

Details

- + Perfect ergonomics thanks to lateral slide switch and small grip dimension.
- + Fatigue-free working thanks to low weight.
- + Solid metal gearbox head can be turned in 90° steps for maximum robustness and service life
- and very good access to difficult-to-reach spots.
- + Enhanced safety through integrated restart protection.

Price includes

- + 1 wheel guard
- + 1 additional handle
- + 1 pair of flanges
- + 1 key

Product feature

- + Restart protection

Application



Roughing-down



Deburring



Dividing



+ suitable

++ well suitable

Technical data

TECHNICAL DATA

Input	750 W
Output	440 W
Speed, no load	12,000 rpm
Grinding disc Ø	125 mm
Elast. Backing pad Ø	125 mm
Flange	M 14
Cable with plug	4 m
Weight according to EPTA	1.80 kg
Weight according to EPTA	1.80 kg

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA	86 dB 3 dB
Sound power level LWA Uncertainty of measured value KWA	97 dB 3 dB
Sound peak value LpCpeak Uncertainty of measured value KpCpeak	103 dB 3 dB
Vibration value 1 α_{hv} 3-way Vibration value 2 α_{hv} 3-way	7,2 m/s ² 1,6 m/s ²
Uncertainty of measured value K α	1,5 m/s ²

Application examples



FEIN

