



FEIN Dustex 25 L set

Wet / dry dust extractor

Compact, powerful wet and dry dust extractor for connecting to power tools when working in the workshop and for assembly work, with large accessory set.

Product number: 9 20 35 060 00 0

Details

- + Powerful turbine for 72 l/s volumetric flow and 253 mbar vacuum (240V).
- + Low noise level of 67 dB (A).
- + The 7.5 m mains cable and 4 m hose provide a large working radius.
- + Anti-static function for preventing static charging during work – electrostatically discharging thanks to optional suction hose 3 13 45 120 01 0 and tool collar 3 13 45 300 01 0.
- + Large, 360° rotating castors for optimum manoeuvrability even in tight spaces.
- + Tool collar with suction force regulation to set the suction power with ease.
- + Auto start socket with switch-on delay to avoid power surges.
- + Practical storage area with edge.
- + Approval for dust class L.

Price includes

- + 1x 4 m suction hose, diameter 35 mm
- + 1 Fleece filter bag
- + 2 suction pipes (metal)
- + 1 groove nozzle
- + 1 elbow
- + 1 tool collar with suction force regulation
- + 1 Flat-fold filter
- + 1 combi nozzle with interchangeable inserts
- + 1 suction brush

Product feature

- + Automatic start/stop
- + Antistatic preparation
- + Dust class
- + Soft start
- + Anti-static function



Technical data

TECHNICAL DATA

Maximum power input

1,380 W

Air flow

4,320 l/min

Max. vacuum

253 hPa

Tank volume

22 l

Cable with plug

7.5 m

Weight according to EPTA

8.00 kg

Application examples



