



SCT 5-40 UX

Dry wall screw gun, up to 5 mm

The flexible tool for drywall and interior work with adjustable clutch.

Product number: 7 213 14 00 23 0

Details

- > Speed-optimised; for rapid fixing of plasterboard to wood or metal frames.
- > Optimum torque thanks to adjustable clutch when working without depth stop.
- > The depth stop supplied means that drywall is not damaged and you need simply grout after screwdriving.
- > Market-leading ergonomics with FEIN Sensitive handle.
FEIN high-power motor.
- > One of the lightest screwdrivers in its class.
- > Easily adjustable and replaceable depth stop.
- > Rapid changeover to collated strips.
- > Extremely lightweight.
- > Dustproof stop sleeve.
- > Practical hand strap.
- > Point placement accuracy with infinitely variable electronic speed setting.

Price includes

- ✓ 1 hand strap
- ✓ 1 belt clip
- ✓ 1 depth stop, dust-proof protection
- ✓ 1 bit ¼" for cross-slotted screws size 2 / Phillips (form H) with dust-protection ring
- ✓ 1 magnetic holder for bits ¼"



Technical data

TECHNICAL DATA

Input	450 W
Output	250 W
Speed, full load	- 2,700 rpm
Speed, no load	- 4,000 rpm
Max. torque (hard/soft)	12 / Nm
Screw Ø	5 mm
Rapid change chuck	1/4 in
Cable with plug	5 m
Weight according to EPTA	1.30 kg

Application examples

