



# **AGSZ 18-280 LBL AS**

## Cordless die grinder

Dust-resistant and powerful, compact cordless die grinder with large plunge depth for effective cutting, grinding, deburring and milling work.

Product number: 7 123 05 61 00 0



#### **Details**

- Guarantees very long life with the next generation of brushless FEIN PowerDrive motors. Totally closed motor housing protects the motor from aggressive ceramic and mineral dusts.
- Ideal for every application. Optimum speeds, matched to a large number of abrasive materials and other materials using the infinitely variable, electronic speed preselection.
- + Powerful. 30 % more efficiency than comparable universal motors with a rated output of 1 100 W.
- + COOLPACK 2.0 technology delivers a 135% longer battery life and therefore makes longer operating times possible.
- + State-of-the-art cell technology and intelligent battery management deliver 87% more power than with conventional batteries.
- ProCORE Li-Ion battery with high-power cells, charge status indicator and "Electronic Cell Protection" (ECP). ECP protects against overload, overheating and total discharge.
- Very smooth running and low-vibration working thanks to motor being decoupled from the

- housing and mounted separately and four additional vibration dampers.
- + Extensive user protection features include soft start, restart protection and electronic overload protection.
- + Innovative collets with all-round flange to protect the workpiece and prevent the wrench sliding off during tool changes.
- → Fatigue-free working thanks to narrow grip dimensions, compact design and a wellbalanced low weight.
- + Separate motor electronics with dust guard in handle area.
- + Compatible with all 18 V AMPShare ProCORE batteries and chargers for even more power and flexibility. Also suitable for 18 V Bosch Professional cordless devices.
- + Bright working area thanks to integrated LED light.
- + Ideally equipped for every job. Mobile working with the XL-BOXX system.
- Long, narrow neck allows tool to plunge a long way into workpieces (e.g. grinding inside pipes).
- + Removable rubber collar bearing cover.

#### Price includes

- + 1 collet Ø 6 mm
- + Jaw spanner SW17

- + Jaw spanner SW13
- + 1 plastic tool case (L-BOXX 238)

#### Product feature

- + POWERtronic tacho electronics
- + Restart protection
- + Electronic overload protection
- + Long neck

- + Soft start
- + Blockage monitoring
- + Electronic speed preselection

## **Application**



Cutting ++

Roughing-down ++

Grinding ++

Deburring +

Dividing +

suitable ++ well suitable

VIBRATION AND SOUND EMISSION

## Technical data

## TECHNICAL DATA

Battery voltage	18 V	Sound pressure level LpA Uncertainty of measured value	82 dB 3 dB
Battery compatibility	Li-ion / ProCORE Li-ion	КрА	
Battery interface	18 V AMPShare	Sound power level LWA Uncertainty of measured value KWA	93 dB 3 dB
Motor	brushless	Sound peak value	96 dB
Speed, no load	9,000 - 28,000 rpm	LpCpeak  Uncertainty of measured value  KpCpeak	3 dB
Grinding wheel for max.	50 mm		al 00 (0 50) 10.7
Ø		Vibration value 1 αhv 3-	αh,SG (Ø 50mm) 13,7
Collet for max. Ø	8 mm	Way Vibration value 2 <b>α</b> hv 3-way	m/s <sup>2</sup> αh,SG (Ø 25mm) 6,2 m/s <sup>2</sup>
Max. cutter diameter	12 mm	Uncertainty of measured value $K\alpha$	1,5 m/s²
Weight without storage battery	1.77 kg		

VALUES

# Application examples





Kompatibel mit AMPShare-/ Bosch Professional 18 V Akkus. | Compatible with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterías AMPShare/Bosch Professional de 18 V. | Compatibile con le batterie AMPShare / Bosch Professional da 18 V.



