





CCG 18-125-10 PD AS

Cordless angle grinder, 5 [125] in[mm] dia.

Dust-resistant and powerful cordless angle grinder with dead man's switch for effective cutting, grinding and deburring work in installation use.

Product number: 7 122 04 62 12 0



Details

- → Guarantees the highest service life with the next generation of brushless FEIN PowerDrive motors. The completely closed motor housing protects the motor against aggressive ceramic and mineral dusts.
- Ideal for any application. Optimal speeds, matched to many grinding materials. Variable speed to match grinding wheel RPM requirements.
- + High-performance. 30% more efficient than comparable universal motors with 1,080 watts of input power.
- + Delivers the same power as an equivalent 1,080watt corded angle grinder.
- Maintenance-free motor with innovative cooling fins for optimal heat dissipation including temperature monitoring.
- + COOLPACK 2.0 technology ensures a 135% longer battery service life, enabling longer operation time.
- + State-of-the-art cell technology and intelligent battery management deliver 87% more power than conventional batteries.

- CORE 18 V Li-ion battery with Highpower cells, charge indicator and electronic cell protection (ECP). ECP protects batteries against overloading, overheating and deep discharge.
- + Smooth running and vibration-free operation through the standalone motor—decoupled from the housing—and four additional vibration dampers.
- + Extensive user protection through soft start, restart protection, electronic overload protection and brake.
- Low-fatigue working with its slim grip, compact design and low weight with good balance.
- + Dust-protected, separate motor electronics in the grip area.
- + Compatible with all CORE 18 V AMPShare batteries and chargers, for even more power and flexibility. Also suitable for 18 V Bosch Professional cordless tools.
- + Short set-up times thanks to the tool-free adjustable safety guard and rapid-clamping nut.
- Well-lit work area thanks to the integrated LED lamps.

Price includes

- + 1 guard
- + 1 anti-vibration handle
- + 1 CORE 18 V 8.0 Ah battery pack
- + 1 nylon tool bag

- + 1 tool-free quick-action clamping nut
- + 1 wrench
- + 1 GAL18 V-160 AS rapid charger

Product feature

- + Brake
- + Soft-start
- Jam monitoring
- + Electronic speed selection

- + POWERtronic tacho electronics
- + Self-start lock
- + Electronic overload protection
- + AutoStop dead man's switch



Application

Material removal

Deburring

Cutting

Brushing

Satin finishing

Technical data

TECHNICAL DATA

+
++
+ suitable
++ well suitable

VIBRATION AND SOUND EMISSION VALUES

Battery voltage Battery compatibility	18 V Li-ion / CORE 18 V Li-	Sound pressure level LpA Measurement uncertainty of the measured value KpA	86 dB 3 dB
Battery compatibility Battery interface	ions 18 V AMPShare	Sound power level LWA Measurement uncertainty of the measured value KWA	97 dB 3 dB
Motor No load speed	brushless 2,500 - 8,500 rpm	Peak sound value LpCpeak Measurement uncertainty of the measured value KpCpeak	99 dB 3 dB
Grinding wheel Ø Elastic backing pad Ø	5 [125] in[mm] 5 [125] in[mm]	Vibration value 1 αhv 3- way Vibration value 2 αhv 3-way	4,9 m/s²
Mounting thread Weight without battery	5/8-11 in 4.41 [2.00] lbs[kg]	Measurement uncertainty of the measured value K α	1,5 m/s²

Application examples













Powered by BOSCH

Compatible with AMPShare/Bosch Professional 18 V batteries.

Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterías AMPShare/ Bosch Professional de 18 V.





