



Cordless MULTIMASTER AMM 700 AS 4 Ah with nylon bag

Cordless oscillating multi-tool

Our best MultiTool for ultra-rapid work progress for interior construction and renovation with 18 accessories – for sawing in wood, metal, plastics, for removing tiles, cutting silicone caulking and carpeting, removing residual adhesive and tile adhesive.

Product number: 7 129 36 64 09 0

Details

- + Anti-vibration system: Permanently safe, pleasant working conditions with minimum vibrations and outstanding noise damping.
- + StarlockMax tool mounting: Work faster and with higher precision thanks to 100% no-loss power transmission.
- + QuickIN: Tool change in under 3 seconds with a patented, tool-free, FEIN rapid-clamping system.
- + With the StarlockMax tool mounting, you have access to around 180 FEIN accessories in the Starlock, StarlockPlus and StarlockMax performance categories.
- + 18 V FEIN PowerDrive motor: Especially powerful, virtually wear-free brushless motor with high efficiency, extremely high load handling and long service life.
- + Tacho generator: Constant speeds, even under load, and infinitely variable electronic speed control.
- + Metal drive head: High load capacity and maximum service life, since all drive head parts are made of metal.
- + Mechanical interface: For stationary use in the table or drill jig holders, or to attach depth stops.
- + Electronic cell protection (ECP): ECP protects storage batteries against overloading, overheating and deep discharge.
- + COOLPACK technology ensures a longer storage battery service life, enabling longer operation times.
- + The battery capacity can be read directly on the battery.
- + Compatible with AMPShare/Bosch Professional 18 V batteries from 2008 on.
- + Electronic safety cut-off – protection for users if the saw blade blocks, for example.

Price includes

- + 1 saw blade SLP E-Cut LL BIM 50x50
- + 15 sanding sheets (5 each of grits 60, 120, 180)
- + 1 rapid charger GAL 1880 CV AS
- + 1 nylon tool bag
- + 1 saw blade SLP E-Cut LL BIM 50x35
- + 1 perforated sanding pad
- + 1 Li-ion battery pack (18 V / 4 Ah)

Technical data

TECHNICAL DATA

Oscillations	10,000 - 19,500 opm
Tool mount	StarlockMax
Tool change	QuickIN

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Measurement uncertainty of the measured value KpA	80,4 dB 3 dB
Sound power level LWA Measurement uncertainty of the measured value KWA	88,4 dB 3 dB

Range

2 x 2,0°

Peak sound value

92,5 dB

LpCpeak

Measurement uncertainty of the measured value KpCpeak

3 dB

Application examples



Powered by  BOSCH

Kompatibel mit AMPShare-/ Bosch Professional 18 V Akkus. | Compatible with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterías AMPShare/Bosch Professional de 18 V. | Compatible con le batterie AMPShare / Bosch Professional da 18 V.

