




DIMENSIONS ASW18-6PC AND ASW18-12PC AND RELATED ANGLE HEADS.


1/4" angle head (hexagon socket) (DIN ISO 1173-D6,3) with width across corners of 30 mm and a weight of 0.14 kg

9 01 02 020 02 0




1/4" angle head (square head) (DIN 3121-E6,3) with width across corners of 36 mm and a weight of 0.15 kg

9 01 02 019 02 0




3/8" angle head (square head) (DIN 3121-E10) with width across corners of 40 mm and a weight of 0.15 kg

9 01 02 018 02 0



1/4" angle head (QuickIN hexagon socket) (DIN ISO 1173-F6,3) with width across corners of 47 mm and a weight of 0.16 kg


9 01 02 021 02 0




optional

Extension
Length 86 mm
23 mm diameter

6 42 03 004 01 0



with 18V 3 Ah battery



ASW 18-6 PC



Precision cordless screwdriver,
baton offset design, up to 6 Nm

7 112 66 60 00 0

ASW 18-12 PC



Precision cordless screwdriver,
baton offset design, up to 12 Nm


7 112 68 60 00 0



DIMENSIONS ASW18-6PC AND ASW18-12PC AND RELATED STRAIGHT OUTPUTS.


Straight output QuickIN 1/4"
Hexagon socket can be used
between 1.1 - 9.9 Nm.

9 01 06 001 02 0



Straight output Tool holder
3/8\" outer square can be used
between 1,1 - 9,9 Nm


9 01 06 002 02 0




optional

Extension
Length 86 mm
23 mm diameter

6 42 03 004 01 0



with 18V 3 Ah battery



ASW 18-6 PC



Precision cordless screwdriver,
baton offset design, up to 6 Nm

7 112 66 60 00 0

ASW 18-12 PC



Precision cordless screwdriver,
baton offset design, up to 12 Nm

7 112 68 60 00 0




DIMENSIONS ASW18-18PC, ASW18-30PC, ASW18-45PC, ASW18-60PC AND RELATED ANGLE HEADS.

ASW 18-18 PC



Precision cordless screwdriver,
baton offset design, up to 18 Nm

7 112 70 60 00 0




ASW 18-30 PC



Precision cordless screwdriver,
baton offset design, up to 30 Nm

7 112 62 60 00 0




ASW 18-45 PC



Precision cordless screwdriver,
baton offset design, up to 45 Nm

7 112 63 60 00 0




ASW 18-60 PC



Precision cordless screwdriver,
baton offset design, up to 60 Nm

7 112 64 60 00 0




with 18V 3 Ah battery

with 18V 3 Ah battery

optional

Extension 100 mm

6 42 03 005 01 0



Angled head up to 18 Nm
3/8" Outer square

9 01 02 017 02 0



Angled head up to 45 Nm
3/8" Outer square

9 01 02 015 02 0



Angled head up to 60 Nm
1/2" Outer square

9 01 02 016 02 0



DIMENSIONS ASM 18-3 PC, ASM 18-8 PC, ASM 18-12 PC.



ASM 18-3 PC

Precision cordless screwdriver, mid-mounted handle, up to 3 Nm. QuickIN 1/4" hexagon socket.

7 112 77 60 00 0



ASM 18-8 PC

Precision cordless screwdriver, mid-mounted handle, up to 8 Nm. QuickIN 1/4" hexagon socket.

7 112 78 60 00 0



ASM 18-12 PC

Precision cordless screwdriver, mid-mounted handle, up to 12 Nm. QuickIN 1/4" hexagon socket.

7 112 79 60 00 0

