



FEIN



Fresa a corona HSS Dura 25 con attacco 3/4 in Weldon

Rivestimento superficiale TiN per una lunga durata e una migliore scorrevolezza.

Misure metriche, profondità di taglio 25 mm.

39.24 CHF IVA incl.

Numero d'ordine: 6 31 34 120 07 5

Specifiche tecniche

SPECIFICHE GENERALI

Profondità di taglio

25 mm

Ø foro

12 mm

Adatto per le seguenti macchine

Universal

- > AKBU 35 PMQW AS
- > AKBU 35 PMQW 18 V AS
Set 2x 8 Ah
- > AKBU 35 PMQW 18 V AS
Set 1x 12 Ah
- > AKBU 35 PMQW AS
Construction-Site Set con
attacco Weldon da 3/4 in
/ HSS NOVA 50
- > AKBU 35 PMQW 18 V AS
Construction-Site 1x 12
Ah Set con attacco
Weldon da 3/4 in / HSS
NOVA 50
- > AKBU 35 PMQW 18 V AS
Construction-Site 2x 8 Ah
Set con attacco Weldon
da 3/4 in / HSS NOVA 50
- > KBM 50 U
- > KBM 50 Q
- > KBM 65 U
- > KBU 35 Q
- > KBU 35 MQ
- > KBU 35 PQ
- > KBU 35-2 Q
- > KBU 35 MQW
- > KBU 35-2 QW
- > KBU 35 PQW
- > KBU 35 QW
- > KBU 35 QW Fabricator
M12 Tapping-Set 3/4 in
Weldon
- > KBM 50 UQW
- > KBM 65 UQW
- > KBU 35 QW Structural
Steel-Set 3/4 in Weldon
- > AKBU 35 PMQ AS

Endurance

- > KBE 50-2
- > KBE 35
- > KBE 32 QW
- > KBE 36 MAGSPEED
- > KBE 36 QW MAGSPEED
- > KBE 36 QW MAGSPEED
Fabrication Set

Compact

- > KBC 36 MAGFORCE
- > KBC 36 MAGFORCE
Machinery-Set 3/4 in
Weldon
- > KBC 36 MAGFORCE
Structural Steel-Set 3/4 in
Weldon / HSS NOVA 25
- > KBC 36 MAGFORCE
Truckframe-Set 3/4 in
Weldon / HSS SPECIAL
25



Automatic

- > KBM 50 auto
- > KBM 50 auto QW