



FEIN Marine product line

- ▶ FEIN MULTIMASTER MARINE TOP
- ▶ FEIN MARINE POWERPOLISHER
- ▶ FEIN Random Orbit Sander
- ▶ FEIN TURBO I + II + III

The FEIN Marine product line



CONTENTS

Contents

Page

INTERIOR FITTINGS

- ▶ Installations 4
- ▶ Interior fittings 5

MAINTENANCE

- ▶ Cleaning 6
- ▶ Polishing and sealing 7
- ▶ Roughing or removal of anti-fouling agents 7

REPAIRS AND REFITS

- ▶ Preparing coatings 8
- ▶ Renovating teak slat decks 9
- ▶ Repairs to fiberglass or wooden boats 9

Contents


Page

SETS AND TOOLS

- ▶ FEIN MULTIMASTER MARINE TOP 10
- ▶ FEIN SUPERCUT MARINE 11
- ▶ FEIN MARINE POWERPOLISHER 12
- ▶ FEIN Random Orbit Sander 13
- ▶ FEIN TURBO I + II + III 14

ACCESSORIES

15 – 18



Proven in countless industrial applications. The first choice for interior fittings, maintenance, and repair of boats.

FEIN offers boat owners a highly practical three-tool system with an optimized selection of accessories. These products are designed for high-performance and a long service life and will serve their owners reliably for decades. Their components have been proven under difficult industrial conditions and cover all major applications. With the FEIN Marine product line, your interior and equipment will always be at the cutting edge of technology. And of course, having the ability to repair and maintain your boat prop-

erly and efficiently will maximize its long-term value. The FEIN Marine product line – a durable application-oriented solution from FEIN, the premier manufacturer of professional and highly reliable power tools

The following pages will give you a good overview of the performance you can expect from the FEIN Marine product line.

Interior fittings



The FEIN MULTIMASTER MARINE TOP is in its element performing technical installations on boats or complete interior fittings.

More information on page 4.


Maintenance



FEIN MARINE POWERPOLISHER and FEIN care products demonstrate the benefits of a professional maintenance system for flawless appearance and value retention.

More information on page 6.

Repairs and refits



With FEIN MULTIMASTER MARINE TOP and high-performance MSf 636-1 random orbit sander, you will save time performing many important tasks.

More information on page 8.



Is it time to bring your boat up-to-date? The FEIN Marine product line makes installations and refittings a breeze!

The equipment and interior of a boat must keep pace with changing technology and the owner's evolving preferences. So having the right tools is of critical importance. The FEIN MULTIMASTER MARINE TOP is a universal system for all materials. Its blades are extremely durable and can handle wood, fiberglass, CFRP, plastic, and metal equally well. When complemented with the right accessories, the durable FEIN MULTIMASTER MARINE TOP will cut flush to the surface and in any desired direction. Like a mortise chisel, it penetrates into the mate-

rial and does not require any extra space behind the workpiece. As a result, it works very cleanly and generates an extremely small amount of dust. FEIN MULTIMASTER MARINE TOP is also a master of cutting any length required: from 3/8" (10 mm) and beyond.

► INSTALLATIONS

Cutting with precision



With FEIN MULTIMASTER MARINE TOP precise cut-outs of 3/8" (10 mm) or larger in wood, plastics, fiberglass, or sheet metal are no problem. The image above shows a cut-out for a wall-mounted switch in 3/8" (10 mm) fiberglass.

Order number
6 35 02 159 01 0

Clean follow-ups



With the carbide file, cut-outs and openings can be flawlessly deburred and filed smooth.

Order number
6 37 06 017 01 0

Installing electronics



FEIN MULTIMASTER MARINE TOP is the perfect helper for installing electrical and electronic devices. The M-CUT blade is also available in a 1 1/8" (30 mm) width for larger cut-outs.

Order number
6 35 02 157 01 0

Filing down corners and edges



With the carbide file, you can even smooth out round cut-outs in wood or fiberglass.

Order number
6 37 06 017 01 0



► **INTERIOR FITTINGS**

Precise cutting, even in corners



With E-CUT blades, FEIN MULTIMASTER MARINE TOP efficiently creates room for cables, heating lines, or pipe through-holes.

Order number
6 35 02 151 01 8

With depth stop



The included depth stop prevents damage to the foam core. It also comes in handy when replacing swollen balsa wood cores.

Refer to the **Blades/Files** section on page 15 for accessories.

Perfect for interior fittings



Achieve flawless work results: FEIN MULTIMASTER MARINE TOP reveals its true strengths wherever space is limited, especially with the E-CUT blade.

Order number
6 35 02 152 01 0

Larger cutting jobs



The round HSS blade helps you achieve flawless, clean cuts (1/32" / 1.0mm width) without breakouts or damage. As a result, dust formation stays very low. Also excellent for larger cutting tasks in fiberglass or wood.

Order number
6 35 02 154 01 0

Ready to put your boat into winter storage? The FEIN Marine product line will help you maintain the value of your investment.

With the FEIN MARINE POWERPOLISHER, you will complete regular cleaning, polishing, and sealing tasks quickly and easily. Its advanced drive gives it significantly more torque and power than virtually all of its competitors. Just select the desired speed and the tool will maintain that speed precisely under all loads. FEIN MULTIMASTER MARINE

TOP is the perfect complement for handling any narrow or difficult-to-reach locations. When used with FEIN's carefully balanced line of maintenance products you will achieve outstanding results in record time and simultaneously protect the surfaces of your boat.

► CLEANING

Removes dirt



The FEIN bristle fleece and boat cleaner make it easy to quickly remove incrustation and dirt.

Refer to the **Cleaning and Maintenance** sections on pages 17/18 for more information about accessories.

Fiberglass anti-slip surfaces



With the bristle fleece on the FEIN MARINE POWERPOLISHER, difficult-to-handle anti-slip surfaces on boat decks can be thoroughly yet gently cleaned or polished.

Order number
6 37 23 033 01 0

Cleaning or polishing



Interior work



The triangular bristle fleece is also ideally suited for polishing and cleaning boat interiors, shower stalls, and baths.

Order number
6 37 23 031 01 0

For flawless results quickly when cleaning and polishing:
The FEIN MULTIMASTER MARINE TOP with triangular bristle fleece provides a terrific shine to anti-slip fiberglass surfaces even in tight places and around hardware.

Order number
6 37 23 031 01 0



► POLISHING

Polishing coated surfaces



With FEIN Boat Polish you will achieve impressive results: without formation of films, without holograms, and with excellent wipe-down – even on hot coated surfaces when working in the sun.
Order number
6 37 26 020 01 0

Perfect polishing



A polishing sponge and lamb-skin cover help achieve first-class results when polishing coated surfaces (steel ships).

Refer to the **Cleaning** section on page 17 for information about accessories.

Polishing a boat deck



Thanks to the felt polishing pad and MULTIMASTER MARINE TOP, even difficult-to-reach locations and anti-slip surfaces on decks will take on a new shine with ease and speed.

Order number
6 37 23 032 01 0

Polishing metal surfaces



Metal surfaces like stainless steel railings, chromed winches, or aluminum hardware can be polished easily and effectively with the felt polishing pad.

Order number
6 37 23 032 01 0

► SEALING

Surface sealing



With FEIN Nano Sealing, you can impart an extremely durable and brilliant layer of protection.

Order number
6 37 26 024 01 0

Roughing or removing anti-fouling coatings



Thanks to the included sanding pad and suction hood, the FEIN MARINE POWERPOLISHER is ideally suited for low-dust roughing and removal of anti-fouling coatings.

Need to get your boat back on the water quickly? Perform repairs quickly and efficiently with FEIN's Marine product line.

Regardless of what type of damage is on your boat or how it was caused, FEIN's Marine product line is the most ideal system, even for the most demanding continuous boatyard service. In fact, these tools are optimized specifically for the most important repair applications. When repairing teak panelled decks, FEIN MULTIMASTER MARINE TOP easily reduces working time by up to 80%. This tool has also proven that it can handle all cutting and scraping work with ease. To prepare the surface for coating, we also recommend the FEIN

MSf 636-1 high-performance random orbit sander. But no matter what you want to do, one thing is for sure: FEIN's durable line of Marine products will give you the help you need and save you loads of valuable time!

► PRE-COATING PREPARATION



Recoating boats

When preparing to recoat a boat, the FEIN MSf 636-1 random orbit sander is a choice that will pay dividends for decades. With its unequaled eccentric stroke of $\frac{5}{8}$ " (8.4 mm), unique dust extraction feature, and both internal and external suction ports on the sanding pad, the FEIN random orbit sander achieves outstanding polishing performance and a very high rate of removal – with virtually no dust.

Sanding down coatings or wood



Wood requires a great deal of care and must be recoated regularly. Each time a new coat is applied, the old one has to be removed first, making the FEIN random orbit sander and FEIN MARINE POWERPOLISHER investments that will pay dividends for a long time to come.

Removing anti-fouling agents with the random orbit sander



The FEIN random orbit sander has outstanding performance and dust extraction that make it ideal for sanding down anti-fouling coatings.



► RENOVATING TEAK DECKS

Removing polyurethane compound



FEIN MULTIMASTER MARINE TOP with cutting blade: The best way to quickly and thoroughly remove compound from paneled decks. Reduces time spent by 80% or more. Refer to the **Cutting** section on page 15 for information about accessories.

Remove excess material



With the rigid scraper blade you can quickly and precisely cut back excess polyurethane material. This will save you a great deal of time and effort when sanding down the teak deck.
Order number
6 39 03 178 01 7

Restoring teak deck



With the carbide segment blade you will quickly restore the sealant in teak decks.

Order number
6 35 02 118 01 6

Sanding down deck



FEIN MULTIMASTER MARINE TOP is one of the best, highest-performing, and most durable tools for deck sanding. FEIN MULTIMASTER MARINE TOP delivers top performance in every corner.
Order number
6 38 06 153 02 2

► REPAIRING FIBERGLASS AND WOODEN BOATS

Precision cutting



If a boat has a collision or runs aground, use the durable HSS blade to precisely remove fiberglass laminate and expose the foam core. This is the best way to prepare for reconstruction of the material.
Order number
6 35 02 154 01 0

Replacing wood planks



To replace individual planks, use the universal E-CUT blade like a mortise chisel. With a cutting depth of up to 2³/₈" (60 mm), you can even replace thick planks on large boats.
Order number
6 35 02 152 01 0

FEIN MULTIMASTER MARINE TOP – An universal system for interior fittings, maintenance, and repair.

FEIN MULTIMASTER MARINE TOP reflects 40 years of experience in oscillation technology. With its oscillating motion and extensive line of accessories, FEIN MULTIMASTER MARINE TOP is an incredibly versatile and precise tool for all major applications in boatyards, at installation specialists, boat dealers, charter companies, and for boat owners.



Drive head cut-away view

The drive head and all other drive parts are made of metal; all bearings are high-quality ball or needle bearings. The cut-away view shows the open clamping jaws of the QuickIN rapid clamping system.

Metal drive head


All drive parts are made of metal and bearings are ball or needle type.

QuickIN rapid clamping system

For the highest possible operation.

Oscillation angle 1.6°

Up to 21,000 oscillations per minute



Speed control

For precise work adjustable to the specific application.

Softgrip zone

For the best possible handling.

FEIN MULTIMASTER MARINE TOP set



- ▶ 1 FEIN MULTIMASTER FMM 250 Q with QuickIN rapid clamping system in a durable plastic tool case
- ▶ 1 sanding pad with plastic backing plate
- ▶ 5 of each type of sanding sheet, 60, 80, 120 and 180 grit, unperforated
- ▶ 1 dust extraction device
- ▶ 5 of each type of sanding sheet, 60, 80, 120 grit and 180, perforated for dust extraction

Technical data

Power consumption	250 Watts
Oscillations/min.	11,000 – 20,000
Cable with plug	16 ft (5 m)
Sanding pad, corner to corner	3 1/8" (80 mm)
Tool mount	QuickIN

- ▶ 1 saw and file set: M-CUT narrow (3/8" / 10 mm), M-CUT wide (3/4" / 20 mm) and carbide narrow file
- ▶ 1 Universal E-CUT blade 1 3/4" (44 mm) wide, offset
- ▶ 1 HSS blade, round diameter 4" (100 mm) with depth stop
- ▶ 1 carbide segment saw blade
- ▶ 1 rigid scraper blade
- ▶ 1 each 5/32" (4 mm) and 3/16" (5 mm) wide teak paneling blades
- ▶ 2 bristle fleece
- ▶ 3 felt polishing pads


Order number FMM 250 Q-MS

7 229 37 54

FEIN SUPERCUT MARINE – for the highest performance requirements

FEIN SUPERCUT MARINE has even greater motor power and stronger oscillating movement than FEIN MULTIMASTER MARINE TOP. As a result, this durable system delivers even higher performance when handling difficult cutting tasks. FEIN SUPERCUT MARINE is ideal for larger boat docks or repair stations that must cut a great deal of fiberglass, CFRP, or wood.

Performance comparisons



Metal drive head


Highest quality with ball and needle bearings.

QuickIN rapid clamping system

For the highest possible operation.

2.0° oscillating angle

Up to 18,500 oscillations per minute



Speed control

For precise work adjustable to the specific application.



FEIN SUPERCUT MARINE set



- ▶ 1 FEIN SUPERCUT FSC 2.0 Q with QuickIN rapid clamping system in a durable plastic tool case.
- ▶ 1 sanding pad with plastic backing plate
- ▶ 5 of each type of sanding sheet, 60, 80, 120, 180 grit
- ▶ 1 dust extraction device
- ▶ 5 each sanding sheets, perforated for dust extraction, 60, 80, 120, 180 grit
- ▶ 1 M-CUT blade, 3/8" (10 mm) wide
- ▶ 1 M-CUT blade, 1/8" (30 mm) wide

Technical data

Power consumption	400 Watts
Power output	220 Watts
Oscillations/min.	11,000 – 18,500
Amplitude	2 angular degrees
Cable with plug	16 ft (5 m)
Weight	3.1 lbs (1.4 kg)
Tool mount	QuickIN

- ▶ 1 carbide narrow file
- ▶ 1 Universal E-CUT blade 1 3/4" (44 mm) wide, offset
- ▶ 1 HSS blade, 4" (100 mm) diameter with depth stop
- ▶ 1 carbide saw blade
- ▶ 1 rigid scraper blade
- ▶ 1 each 5/32" (4 mm) and 3/16" (5 mm) wide teak paneling blades
- ▶ 2 bristle fleece
- ▶ 3 felt polishing pads

Order number

FSC 2.0 Q-MS

7 236 36 55

FEIN MARINE POWERPOLISHER – for brilliant results when maintaining boats

Save time while cleaning, polishing, sealing, or sanding with consistently high power: FEIN MARINE POWERPOLISHER keeps boats in good condition in record time. The included sanding disc with suction hood enables the tool to perform sanding tasks for wood, coatings, and especially anti-fouling agents. This makes FEIN MARINE POWERPOLISHER the most ideal tool for long-term maintenance of yachts, boatyards, maintenance providers, boat dealers, charter bases, or owners.



Advanced drive

FEIN MARINE POWERPOLISHER has double reduction with bevel and planetary gears for seemingly unlimited power – even at low speeds.

Variable speed

Speed is variable between 500 and 1,500 rpm – the selected speed remains constant under all load conditions.

Softstart function

Minimizes power consumption when the tool starts and permits disturbance-free operation even in weak power networks.

Removable grip cap

Supplemental grip can be mounted to the right or left. Tool can be operated with or without grip cap.

Ergonomic shape

A highly ergonomic shape helps the user work comfortably and with low fatigue.

Spindle lock

Spindle lock for convenient changing of sanding disc.

Metal drive head

The metal drive head represents the highest professional quality.



FEIN MARINE POWERPOLISHER



FEIN MARINE POWERPOLISHER shown here as sander with dust extraction hood.



Technical data

Power consumption	1,200 Watts
Power output	750 Watts
Speed	500-1,500 rpm
Tool mounting	5/8"-11
Cable with plug	13 ft (4 m)
Weight	4.2 lbs (1.9 kg)

- ▶ 1 FEIN POWERPOLISHER WPO 14-15 E with grip cap and additional side handle in a robust plastic case
 - ▶ 1 mounting pad 6 5/8" (170 mm)
 - ▶ 1 polishing sponge
 - ▶ 1 lambskin, dome shape, 9 1/4" (235 mm)
 - ▶ 1 dust extraction hood
 - ▶ 1 sanding pad, perforated
 - ▶ 2 sanding fleece for anti-fouling agents
 - ▶ 1 bristle fleece
 - ▶ 2 each sanding sheets 6" (150mm), perforated, 80, 150, 180 grit
- Order number** **WPO 14-15 E-MS** **7 221 48 50**

FEIN MSf 636-1 Random Orbit Sander – for continuously high-performance and perfect sanding

MSf 636-1 is more than just extremely durable. With an eccentric stroke of $\frac{5}{8}$ " (8.4 mm) it also has the highest sanding capacity of any random orbit sander in the world. The large stroke also results in incredibly even and smooth surfaces, creating the best possible conditions for high-quality coatings on fiberglass and wooden boats. FEIN MSf 636-1 random orbit sander is particularly well-suited for yards that coat boats and yachts & sand and repair boat bottoms.

Very good handling

Thanks to the narrow motor.

Metal drive head

The metal drive head represents the highest professional quality.

The highest sanding capacity

Extraordinarily strong eccentric motion ($\frac{5}{8}$ " / 8.4 mm stroke) creates the best sanding pattern.

Flawless dust extraction

Suction ports on the inner and outer edges of the sanding pad for more dust control.



FEIN Random Orbit Sander



The only one with edge suction

Outstanding dust suction with eight extraction ports on the inside and additional external suction ports on the outside of the sanding pad.

Technical data

Rated power consumption	380 Watts
Speed	7500 rpm
Stroke	8.4 mm
Suction hose connection dia.	1 $\frac{1}{4}$ " (32 mm)
Tool mounting	$\frac{5}{16}$ "-24
Cable with plug	16 ft (5 m)
Weight	3.7 lbs (1.7 kg)
Sanding pad dia.	6" (150 mm)

- ▶ 1 FEIN MSf 636-1 random orbit sander
- ▶ 1 mounting plate 6" (150 mm) dia.
- ▶ 1 sanding pad, medium, 6" (150 mm) dia.
- ▶ 1 dust extraction guard
- ▶ 1 set of wrenches

Order number

7 220 78

FEIN TURBO – Three dust extractors and one idea: Work cleanly.

FEIN's powerful TURBO line of dust extractors are the ideal complement for low-dust FEIN Marine power tools. With their convenient automatic switching feature, these professional, low-noise wet/dry dust extractors turn on and off when the attached power tool is switched on and off.

FEIN TURBO vacuums also have a softstart function that reduces startup current and avoids unnecessary tripping of weaker electrical breakers. FEIN TURBO dust extractors have also been optimized for marine applications: The 16 ft (5 m) suction hose and a 16 ft (5 m) connection cable give these tools a long reach. In addition to connection parts for FEIN power tools, TURBO also includes a universal power tool adapter for other manufacturers. For general boat cleaning tasks inside and out.

Automatic on/off

This convenient feature switches the dust extractor on and off with the connected power tool.

Powerful

TURBO is a powerful and quiet dust extractor with electronically adjustable suction power.

Full range of accessories

Upholstery, crevice, and floor nozzles with extension tubes.

Variable suction control

Suction power can be electronically reduced for upholstery and other interior cleaning tasks.

Softstart function

Electronically adjustable startup current prevents tripping of weaker breakers.

Long reach

16 ft (5 m) suction hose and 16 ft (5 m) cord are ideal for use on boats and boat hulls.

Compatibility

TURBO is the ideal complement to FEIN power tools; with adapter for other manufacturers.



FEIN TURBO I + II + III

FEIN TURBO I

Set includes:

- ▶ 1 crevice tool
- ▶ 1 adapter
- ▶ 1 round brush
- ▶ 1 16' hose (1 1/4" dia.)
- ▶ 1 5-micron cloth filter bag

Order number 9 20 24



FEIN TURBO II

Set includes:

- ▶ 1 16' hose (1 1/4" dia.)
- ▶ 1 5-micron cloth filter bag

Order number 9 20 25



FEIN TURBO III

Set includes:

- ▶ 1 10' hose (2 1/4" dia.)
- ▶ 1 step adapter (2 1/4" to 1 1/4")
- ▶ 1 5-micron cloth filter bag

Order number 9 20 26



Technical Data

Model		TURBO I	TURBO II	TURBO III
Power consumption	Watts	1,000	1,050	1,200
Air Flow	cfm	116	116	126
Static water lift	in	90	90	99
Maximum load	Watts	2,000	2,000	2,000
Weight	lbs (kg)	17.7 (8)	28.5 (12.9)	36 (16.3)
Cable with plug	ft (m)	16 (5)	16 (5)	16 (5)
Hose length	ft (m)	16 (5)	16 (5)	10 (3)
Hose diameter	in	1 1/4	1 1/4	2 1/4
Capacity dry	gal	6	9	14.5
Capacity wet	gal	5.3	6.8	12
Dimensions	in	23×15 1/2	24 3/4×16 1/2 ×15 3/4	29 1/8×16 1/4 ×15 3/4
Noise at 3 1/2 ft	db (A)	62	57.8	57.8

All on board. Original FEIN accessories at a glance.

The FEIN Marine product line delivers the best possible work results in any situation related to interior fittings, maintenance, and repair of boats. To ensure that you are truly prepared for

any situation, FEIN offers an extensive range of high-quality accessories that have been specifically developed for a variety of applications and materials.

FEIN MULTIMASTER MARINE TOP

Cutting/Filing

M-CUT narrow blade

For cut-outs in fiberglass, CFRP, wood, and sheet metal, 3/8" (10 mm) edge length, max. cutting depth: about 1 1/8" (28 mm) (fiberglass, wood) in metal approximately 1/32" (1 mm), length 2" (50 mm)



Width	No. in pack	Order number
3/8" (10 mm)	2	6 35 02 159 01 0

M-CUT wide blade,

For cut-outs in fiberglass, CFRP, wood, and metal, 1 3/16" (30 mm) edge length or greater, max. cutting depth 1 3/4" (45 mm) (fiberglass, wood), in sheet metal approximately 1/32" (1 mm), length 2" (50 mm)



Width	No. in pack	Order number
1 3/16" (30 mm)	2	6 35 02 157 01 0

Carbide narrow file

For deburring and filing cut-outs in fiberglass, CFRP, plastics and wood, length 2" (50 mm)



Width	No. in pack	Order number
3/8" (10 mm)	2	6 37 06 017 01 0

Saw and file set

Saw and file set for cut-outs in fiberglass, CFRP, wood, and sheet metal. M-CUT blade 3/8" (10 mm) and 1 1/8" (30 mm), carbide file 3/8" (10 mm)



No. in pack	Order number
1	6 35 02 157 02 0

HSS saw blade, circular shape

For plastics, fiberglass, wood, putty, non-ferrous metals, and sheet metal up to about 1/32" (1 mm).



Dia.	No. in pack	Order number
3 1/8" (80 mm)	1	6 35 02 097 02 7
3 1/8" (80 mm)	2	6 35 02 097 01 1
3 1/8" (80 mm)	5	6 35 02 097 05 0

HSS segment saw blade

For plastics, fiberglass, wood, putty, non-ferrous metals, and sheet metal up to about 1/32" (1 mm). Ideal for working in corners.



Dia.	No. in pack	Order number
3 1/8" (80 mm)	1	6 35 02 106 01 5
3 1/8" (80 mm)	2	6 35 02 106 07 0
3 1/8" (80 mm)	5	6 35 02 106 08 0

HSS saw blade, circular shape, offset

For plastics, fiberglass, wood, putty, non-ferrous metals, and sheet metal up to about 1/32" (1 mm), flush to surface.



Dia.	No. in pack	Order number
3 9/16" (85 mm)	1	6 35 02 144 01 4
3 9/16" (85 mm)	5	6 35 02 144 02 0

Universal E-CUT blade, long 2 3/8" (60 mm)

Bimetal teeth enables a wide range of applications. Cuts wood up to 2" (50 mm); plastics, sheet metal up to 1/16" (2 mm); copper or aluminum tubes and profiles



Width	No. in pack	Order number
1 1/8" (29 mm)	1	6 35 02 151 01 8
1 1/8" (29 mm)	3	6 35 02 151 02 0
1 1/8" (29 mm)	10	6 35 02 151 03 0

Universal E-CUT blade, long 2 3/8" (60 mm)

Bimetal teeth enables a wide range of applications. Cuts wood up to 2" (50 mm); plastics, sheet metal up to 1/16" (2 mm); copper or aluminum tubes and profiles



Width	No. in pack	Order number
1 3/4" (44 mm)	1	6 35 02 152 01 0
1 3/4" (44 mm)	3	6 35 02 152 02 0
1 3/4" (44 mm)	10	6 35 02 152 03 0

Precision E-CUT blade, narrow 1 3/8" (35 mm)

Highest cutting speed and precision thanks to double-row Japanese teeth. For wood up to 2" (50 mm), drywall, and soft plastics



Width	No. in pack	Order number
1 3/8" (35 mm)	1	6 35 02 126 01 3
1 3/8" (35 mm)	3	6 35 02 126 03 0
1 3/8" (35 mm)	10	6 35 02 126 04 0

Precision E-CUT blade, wide 2 9/16" (65 mm)

High cutting speed and precision thanks to double-row Japanese teeth. For wood up to 2" (50 mm), drywall, and soft plastics



Width	No. in pack	Order number
2 9/16" (65 mm)	1	6 35 02 127 01 7
2 9/16" (65 mm)	3	6 35 02 127 02 0
2 9/16" (65 mm)	10	6 35 02 127 03 0

HSS saw blade for wood

HSS saw blade for wood Round HSS wood saw blade – a "mini circular saw" is ideal for long, straight cuts in fiberglass, CFRP, and wood.



Dia.	No. in pack	Order number
4" (100 mm)	1	6 35 02 154 01 0

Replacement depth stop

Suitable for all E-CUT saw blades and the HSS wood saw blade. Suitable only for the new FEIN MULTIMASTER MARINE TOP and FEIN MULTIMASTER FMM 250/250 Q.



Order number	3 26 07 065 01 0
--------------	------------------

HSS saw blade set

HSS saw blade, 4" (100 mm) diameter in set with depth stop.



Dia.	No. in pack	Order number
4" (100 mm)	1	3 26 07 065 02 0

Scraping

Rigid scraper blade

For removing stubborn old coatings, adhesive residues, incrustation remains, and for cutting back polyurethane jointing.



Order number	6 39 03 178 01 7
--------------	------------------

Flexible scraper blade

For removing silicon or acrylic grouts in sanitary areas and for removing stickers.



Order number	6 39 03 165 01 3
--------------	------------------

Cutting

Cutting blade for panelled deck renovations

For cutting out panelled deck polyurethane bead rapidly and safely. Also for problem areas such as cabins, rails, gunwales, cleats and curves.



Blade width	No. in pack	Order number
1/8" (3 mm)	1	6 39 03 200 01 7
5/32" (4 mm)	1	6 39 03 201 01 6
3/16" (5 mm)	1	6 39 03 202 01 9

Remove grouts

Carbide-tipped saw blade

For reworking panelled deck grouts. Also suitable for removing grout.



Dia.	Order number
2 1/2" (63 mm)	6 35 02 118 01 6

ACCESSORIES

► FEIN MULTIMASTER and FEIN SUPERCUT

Sanding

Set of sanding pads, plastic

With plastic backing plate to avoid marks.



No. in pack	Order number
2	6 38 06 153 02 2

Assorted sanding sheet set

For universal usage on nearly all surfaces. Corundum sanding grains and full artificial resin bonding ensure high sanding capacity. Ten of each sanding sheets, unperforated, with H&L, 60, 80, 120, 180, 240 grit.



No. in pack	Order number
50	6 37 17 082 03 3

Sanding sheets, unperforated with H&L.

For universal usage on nearly all surfaces.



Grit	Pack of 5. order no.	Pack of 50. order no.
	6 37 17 ...	6 37 17 ...
36	... 086 04 8	... 086 01 0
40	... 081 04 6	... 081 01 8
60	... 082 04 9	... 082 01 1
80	... 083 04 3	... 083 01 5
100	... 084 04 1	... 084 01 3
120	... 085 04 5	... 085 01 7
150	... 087 04 2	... 087 01 4
180	... 088 04 0	... 088 01 2
220	... 089 04 4	... 089 01 6
240	... 090 04 6	... 090 01 8
280	... 091 04 5	... 091 01 7

Set of sanding pads, perforated

For sanding with dust extraction.



No. in pack	Order number
2	6 38 06 136 02 9

Assorted sanding sheet set

Ten of each type of sanding sheet, perforated for dust extraction with H&L, corundum, 60, 80, 120, 180, 240 grit.



No. in pack	Order number
50	6 37 17 109 03 5

Sanding sheets, perforated

For sanding with dust suction. For universal usage on nearly all surfaces. Corundum sanding grains and full artificial resin bonding ensure high sanding capacity. From 36 to 240 grit.



Grit	Pack of 5. order no.	Pack of 50. order no.
	6 37 17 ...	6 37 17 ...
36	... 107 04 9	... 107 01 1
40	... 108 04 7	... 108 01 9
60	... 109 04 1	... 109 01 3
80	... 110 04 3	... 110 01 5
100	... 111 04 2	... 111 01 4
120	... 112 04 5	... 112 01 7
150	... 113 04 9	... 113 01 1
180	... 114 04 7	... 114 01 9
220	... 115 04 1	... 115 01 3
240	... 116 04 4	... 116 01 6

Profile sanding set

Includes 1 holder and 6 different profile inserts: 1 V-shape for 90° angle, 1 trapezium for tongue-and-groove connections, 1 for straight profiles, 1 convex shape (large), 1 each concave and convex shapes (small), as well as 5 of each sanding sheets grit 80, 120 and 180.



Order number	6 38 06 183 01 3
---------------------	------------------

Sanding paper for profile sanding set

For nearly all materials, like wood, metal, coatings, and plastic.



Grit	No. in pack	Order number
80	25	6 37 17 217 01 6
120	25	6 37 17 218 01 4
180	25	6 37 17 219 01 8

Cleaning / polishing / waxing

Cleaning bristle fleece

Bristle fleece for cleaning boat decks or cleaning/polishing anti-slip surfaces. Suitable for sanding pad 6 38 06 153 02 2.



No. in pack	Order number
2	6 37 23 031 01 0

Felt polishing pad

Felt polishing pad for polishing boat decks (Gel coat), chrome, stainless steel, aluminum, non-ferrous metals. Suitable for sanding pad 6 38 06 153 02 2 or 6 38 06 129 02 6, triangular shape – polishing fleece with black tricot.



No. in pack	Order number
5	6 37 23 032 01 0

► FEIN SUPERCUT

Basic Accessories

Table and upright drill holder

Perfect for precision cut-outs: FEIN MULTIMASTER can be clamped onto a table or workbench. Then you can push the work piece safely towards the tool. It can also be clamped into commercially available drill stands with a 43-mm collar. This lets the user advance the FEIN MULTIMASTER with millimeter precision. Suitable only for the new FEIN MULTIMASTER MARINE TOP and FMM 250/250 Q



Order number	9 26 02 083 01 0
---------------------	------------------

Cutting / Filing

HSS saw blade

With fine teeth for precise cutting. For plastics, fiberglass, wood, non-ferrous metals, and sheet metal up to 1/32" (1 mm).



Dia.	No. in pack	Order number
2 1/2" (63 mm)	2	6 35 02 102 01 6
3 3/8" (80 mm)	2	6 35 02 103 01 0

HSS saw blade

For fiberglass, plastic, wood, non-ferrous metals, and sheet metal up to 1/32" (1 mm). Cut flush to surfaces.



Dia.	No. in pack	Order number
3 9/16" (85 mm)	1	6 35 02 145 01 8
4" (100 mm)	1	6 35 02 137 01 6

HSS saw blade

Round HSS saw blade – a "mini circular saw" is ideal for long, straight cuts in fiberglass, CFRP, and wood.



Dia.	No. in pack	Order number
4" (100 mm)	1	6 35 02 153 01 0

HSS saw blade set

HSS saw blade, 4" (100 mm) diameter in set with depth stop.



Dia.	No. in pack	Order number
4" (100 mm)	1	3 26 07 062 04 0

E-CUT universal blades

Bimetal teeth, offset, high cutting speed, sheet metal up to about 1/16" (2 mm), aluminum profiles, copper pipes, wood, drywall and almost all plastics. Length 2 3/8" (60 mm).



Width 1 1/8" (28 mm)

No. in pack	Order number
1	6 35 02 147 01 5
5	6 35 02 147 02 1
25	6 35 02 147 03 7



Width 1 3/8" (44 mm)

No. in pack	Order number
1	6 35 02 148 01 3
5	6 35 02 148 02 9
25	6 35 02 148 03 5

E-CUT precision blades

Double-row original Japanese teeth for highly precise cuts, high cutting speed, and clean cut edges, especially in wood. Length 2" (50 mm).



Width 1 3/8" (35 mm)

No. in pack	Order number
1	6 35 02 119 01 0
5	6 35 02 119 04 8
25	6 35 02 119 03 2



Width 2 9/16" (65 mm)

No. in pack	Order number
1	6 35 02 122 01 4
5	6 35 02 122 04 2
25	6 35 02 122 03 6

M-CUT narrow blade,

For cut-outs in fiberglass, CFRP, wood, and metal, 3/8" (10 mm) edge length, max. cutting depth: about 1/8" (28 mm) (fiberglass, wood) in sheet metal approximately 1/32" (1 mm), length 2" (50 mm)



Width	No. in pack	Order number
3/8" (10 mm)	2	6 35 02 158 01 0

M-CUT wide blade

For cut-outs in fiberglass, CFRP, wood, and metal, 1 3/16" (30 mm) edge length or greater, max. cutting depth: about 1 1/8" (28 mm) (fiberglass, wood) in sheet metal approximately 1/32" (1 mm), length 2" (50 mm)



Width	No. in pack	Order number
1 3/16" (30 mm)	2	6 35 02 138 01 4

Carbide file, narrow
For deburring and filing cut-outs in fiberglass, CFRP, plastics and wood



No. in pack	Order number
2	6 37 06 018 01 0

Carbide-tipped saw blade
For reworking panelled deck grouts. Also suitable for removing grout.



Dia.	Order number
3 1/8" (80 mm)	6 35 02 155 01 0

Replacement depth stop
Suitable for all E-CUT saw blades and the HSS wood saw blade Suitable only for the new SUPERCUT MARINE Set and FEIN SUPERCUT 1.6/2.0



Order number	3 26 07 062 02 2
---------------------	------------------

Cutting

Cutting blade for panelled deck renovations

For cutting out panelled deck polyurethane bead rapidly and safely. Also for problem areas such as cabins, rails, gunwales, cleats and curves.



Blade width	No. in pack	Order number
1/8" (3 mm)	2	6 39 03 183 01 9
3/32" (4 mm)	2	6 39 03 184 01 7
3/16" (5 mm)	2	6 39 03 185 01 1
1/4" (6 mm)	2	6 39 03 186 01 4

Scraping

Rigid scraper blade

For removing stubborn old coatings, adhesive residues, incrustation remains, and for cutting back polyurethane jointing.



No. in pack	Order number
2	6 39 03 206 01 8

FEIN POWERPOLISHER

Cleaning / polishing / waxing

Mounting plate
Extra soft mounting with H&L for FEIN MARINE POWERPOLISHER.
6 5/8" (170 mm) diameter, 3/4" (20 mm) foam support



Dia.	No. in pack	Order number
6 5/8" (170 mm)	1	6 38 06 190 01 0

Polishing sponge
7 11/16" (195 mm) diameter. Use in conjunction with mounting plate 6 38 06 190 01 0 5/8"-11 with H&L. Recommended working speed 500-1000 rpm



Dia.	No. in pack	Order number
7 11/16" (195 mm)	1	6 37 23 034 01 0

Bristle fleece
Use in conjunction with mounting plate 6 38 06 190 01 0 5/8"-11 with H&L. For fiberglass anti-slip surfaces. Recommended working speed: about 500 rpm



Dia.	No. in pack	Order number
7 11/16" (195 mm)	2	6 37 23 033 01 0

White lambskin, hood shape
Approx. 9 1/4" (235 mm) diameter. Use in conjunction with mounting plate 6 38 06 190 01 0 5/8"-11 with H&L. Recommended working speed 500-1200 rpm. Top wool quality, frisbee polishing disc. Lambskin/synthetic mixture, washable.



Dia.	No. in pack	Order number
9 1/4" (235 mm)	1	6 37 23 035 01 0

Sanding

Soft sanding pad
With H&L, dia. 6" (150 mm) with suction ports. Hole circle suitable for FEIN and other abrasives.



Dia.	No. in pack	Order number
6" (150 mm)	1	6 38 06 191 01 0

Sanding fleece for anti-fouling
Sanding fleece for roughing or removal of anti-fouling coatings. Produces an outstanding sanding pattern without glazing of the sanding fleece. Very long service life.



Dia.	No. in pack	Order number
6" (150 mm)	5	6 37 32 004 01 0

Sanding sheets
Perforated, dia. 6" (150 mm) with H&L and standard hole pattern. Applications: Wood, paint, spackling, auto paint, fiberglass, plastic Quality: Full artificial resin bonding, corundum. Characteristic: highly flexible



Grit	No. in pack	Order number
60	50	6 37 28 010 01 6
80	50	6 37 28 074 01 4
120	50	6 37 28 084 01 3
150	50	6 37 28 012 01 8
180	50	6 37 28 013 01 2
240	50	6 37 28 015 01 4
320	50	6 37 28 017 01 1
600	50	6 37 28 132 01 0
800	50	6 37 28 133 01 0
1200	50	6 37 28 134 01 0

Assorted sanding sheet set
Includes: 10 of each grit 60, 80, 120, 180, 240.



No. in pack	Order number
50	6 37 28 074 02 0

FEIN Random Orbit Sander

Sanding

Sanding pads
Dia. 6" (150 mm), with holes, with H&L.



	Order number
hard	6 38 06 101 02 0
medium	6 38 06 090 02 3
soft	6 38 06 114 02 4
H&L only	3 14 26 030 00 5

Sanding fleece for anti-fouling



Sanding fleece for roughing or removal of anti-fouling coatings. Produces an outstanding sanding pattern without glazing of the sanding fleece. Very long service life.

Dia.	No. in pack	Order number
6" (150 mm)	5	6 37 32 004 01 0

Sanding sheets
Perforated, dia. 6" (150 mm) with H&L and standard hole pattern. Applications: Wood, paint, spackling, auto paint, fiberglass, plastic, Gel coat to finishing. Quality: Full artificial resin bonding, corundum. Characteristic: highly flexible



Grit	No. in pack	Order number
60	50	6 37 28 010 01 6
80	50	6 37 28 074 01 4
120	50	6 37 28 084 01 3
150	50	6 37 28 012 01 8
180	50	6 37 28 013 01 2
240	50	6 37 28 015 01 4
320	50	6 37 28 017 01 1
600	50	6 37 28 132 01 0
800	50	6 37 28 133 01 0
1200	50	6 37 28 134 01 0

Assorted sanding sheet set
Includes: 10 of each grit 60, 80, 120, 180, 240.



No. in pack	Order number
50	6 37 28 074 02 0

ACCESSORIES

► **FEIN care products** ► **FEIN TURBO**

Basic accessories

FEIN boat polish

Simple to use, produces an outstanding shine: for fiberglass/ Gelcoat and coated boats – also ideal for dark boat colors



Contents	Order number
16.9 oz (500 ml)	6 37 26 020 01 0

FEIN all-purpose boat cleaner

Cleans boat hulls and decks. Can also be used for aluminum and glass, plastics, and textiles.



Contents	Order number
16.9 oz (500 ml)	6 37 26 021 01 0

FEIN anti-yellowing spray

Easily removes rust spots as well as yellowing and algae on the waterline. Easy to use. Does not attack plastics and is very productive.



Contents	Order number
16.9 oz (500 ml)	6 37 26 022 01 0

FEIN Carnauba wax and cleaner

High-shine sealing with long-term effects: anti-static, shock-proof, shampoo-proof. Protects your boat like a second skin.



Contents	Order number
16.9 oz (500 ml)	6 37 26 023 01 0

FEIN Nano wax and cleaner

Highly durable, long-term sealing: anti-static, shockproof, shampoo-proof. Extremely fine with nano particles, fills cracks, protects from the elements and UV rays.



Contents	Order number
16.9 oz (500 ml)	6 37 26 024 01 0

Micro-fiber cloth

Ideal for wiping down sealing or polishing agents: The microfiber cloth can polish sensitive surfaces without causing microscopic scratches.



No. in pack	Order number
1	6 37 33 003 01 0

General accessories for FEIN TURBO dust extractors

1 Micron Filter

Use with paper dust bag, flange and mounting screw for dust such as dry wall and sheet rock.



Order number	TII1MCRN
---------------------	----------

0.3 Micron HEPA Filter

Use with paper dust bag, flange and mounting screw for hazardous small particulate dust.



Order number	TIIHEPA
---------------------	---------

Filter Mounting Screw

Use with HEPA and 1 micron filters.



Order number	TII3001
---------------------	---------

Filter Mounting Flange

Use with HEPA and 1 micron filters.



Order number	TII3002
---------------------	---------

Anti-Foam Filter

For foamy water removal, used by itself.



Order number	9 02 04 200 0
---------------------	---------------

Power Brush

130 watt, automatic motorized start for textile and linoleum, width 14".



Order number	9 21 005 AK13
---------------------	---------------

3 Way Connector

With cap for using 2 suction hoses.



Order number	9 21 068 AA13
---------------------	---------------

Replacement Cap

For 3 Way Connector.



Order number	9 21 087 AK13
---------------------	---------------

Adapter

1 ¼" hose end to a Random Orbit dust free dust port.



Order number	9 21 069 AK13
---------------------	---------------

Step Adapter

From 1 ¼" to ¾"



Order number	9 21 072 AK13
---------------------	---------------

Accessory basket and strap



Order number	526301 AK13
---------------------	-------------

Hose Cradle



Order number	3 9 16 054 A089
---------------------	-----------------

Accessories for FEIN TURBO I

Filter Bag Kit

1 micron filter, dust bag, flange, mounting screw.



Order number	FBK-1
---------------------	-------

Dust Bags

Dust bag 3-pack for use with a 1 micron or HEPA filter, collects larger particles for collection.



Order number	9 13 038 K01
---------------------	--------------

5 Micron Cloth Filter Bag

For larger shop clean up, used by itself, dry only.



Order number	9 13 079 AGA6
---------------------	---------------

Hose Assembly (16 ft), 1 ¼"



Order number	9 21 049 GN1
---------------------	--------------

Cord Clips for 1 ¼" Hose



Order number	9 21 063 K13
---------------------	--------------

Clean Up Kit

2 metal extension tubes, air reduction handle, upholstery nozzle, crevice nozzle, round brush, liquid pick up nozzle, floor brush with wheels, and an anti-foam filter for water pickup



Order number	DW1
---------------------	-----

Handle

With air regulation slide



Order number	9 21 067 A13
---------------------	--------------

Extension Tube

Plated metal, 1 pack, length 19", 2 required



Order number	9 19 036 B94
---------------------	--------------

Floor Brush With Wheels


With sliding base



Order number	9 19 064 B13
---------------------	--------------

Thread Pick for Brush

For floor brush with wheels



Order number	9 19 043 R14
---------------------	--------------

Liquid Pick Up Nozzle

Plastic, width 11 ¾"



Order number	9 21 051 A13
---------------------	--------------

Round Brush

Plastic, dia. 2 ½"



Order number	9 19 001 A13
---------------------	--------------

Upholstery Nozzle

Plastic, with brush insert, width 5 ½"



Order number	9 19 003 K13
---------------------	--------------

Crevice Nozzle

Plastic, length 8"



Order number	9 19 007 K13
---------------------	--------------

Accessories for FEIN TURBO II

Filter Bag Kit

1 micron filter, dust bag, flange, mounting screw



Order number FBK

Dust Bag

Dust bag 3-pack for use with a 1 Micron filter, collects larger particles for two-stage dust collection



Order number 9 13 036 K01

HEPA Filter Bag Kit

1 HEPA filter, dust bag, flange, mounting screw



Order number FBK-HEPA

HEPA Safety Bag

5-pack for use with HEPA filter for hazardous small particulate dust



Order number 9 13 049 P01

5 Micron Cloth Filter Bag

For larger shop clean up, used by itself, dry only



Order number 9 13 079 AGA6

Hose Assembly

(16 ft), 1 1/4"



Order number 9 21 049 GN1

Cord Clips for 1 1/4" Hose



Order number 9 21 063 K13

Clean Up Kit

2 metal extension tubes, air reduction handle, upholstery nozzle, crevice nozzle, round brush, liquid pick up nozzle, floor brush with wheels, and an anti-foam filter for water pickup



Order number DW1

Handle

With air regulation slide



Order number 9 21 067 A13

Extension Tube

Plated metal, 1 pack, length 19", 2 required



Order number 9 19 036 B94

Floor Brush With Wheels

With sliding base



Order number 9 19 064 B13

Thread Pick for Brush

For floor brush with wheels



Order number 9 19 043 R14

Liquid Pick Up Nozzle

Plastic, width 11 3/4"



Order number 9 21 051 A13

Round Brush

Plastic, dia. 2 1/2"



Order number 9 19 001 A13

Upholstery Nozzle

Plastic, with brush insert, width 5 1/2"



Order number 9 19 003 K13

Crevice Nozzle

Plastic, length 8"



Order number 9 19 007 K13

Accessories for FEIN TURBO III

Filter Bag Kit

1 micron filter, dust bag, flange, mounting screw



Order number FBK-3

Dust Bag

Dust bag 3-pack for use with a 1 micron or HEPA filter, collects larger particles for two-stage dust collection



Order number 9 13 048 K01

5 Micron Cloth Filter Bag

For larger shop clean up, used by itself, dry only



Order number 9 13 079 AGA6

Hose Assembly

(10 ft), dia 2 1/2"



Order number 9 21 120 AG13

Clean Up Kit

Tools fit directly onto 2 1/2" hose, includes 2 plastic extension tubes, and air reduction handle, a crevice nozzle, a round brush, an upholstery tool, a floor brush, and an anti-foam filter



Order number DW3

Handle



Order number 9 21 085 AK13

Extension Tube

Plastic, 1 pcs., length 19", 2 required



Order number 9 21 001 AK13

Floor Brush Housing

Plastic, width 15 3/4"



Order number 9 21 081 CD13

Fluid And Floor Insert



Order number 9 21 088 AK13

Floor Brush



Order number 9 21 084 AK13

Liquid Pick Up Nozzle



Order number 9 21 083 AK13

Round Brush

Plastic, dia. 2 3/4"



Order number 9 21 002 AK13

Upholstery Tool

Plastic, 5" x 6"



Order number 9 21 003 AK13

Crevice Tool

Plastic, length 9"



Order number 9 21 004 AK13

Adapter 2 1/2" - 1 1/4"



Order number 9 21 005 AK133

Hose End Replacement

2 1/4" - 4"



For standard equipment openings such as table saw, planers

Order number 9 21 116 AK13



**Do you have additional questions?
Or would you like to try the FEIN Marine product line?**

Your distributor will be happy to assist you:

USA: FEIN Power Tools Inc., 1030 Alcon Street, Pittsburgh, PA 15220,
Tel. 1-412-922-8886, Toll Free: 1-800-441-9878

Canada: FEIN Canadian Power Tool Company, 323 Traders Boulevard East,
Mississauga, Ontario L4Z 2E5, Tel. 905-890-1390, Toll Free: 1-800-265-2581

FEIN Québec Ltée, 2810 De Miniac St. Laurent,
Quebec H4S 1K9, Tel. 514-331-7390, Toll Free: 1-800-789-8181

www.fein.com

Germany: C. & E. FEIN GmbH, Hans-Fein-Straße 81,
73529 Schwäbisch Gmünd-Bargau

Printed in Germany. The products shown may differ from those supplied. Technical details subject to change. 1 88 31 685 21 0 07.09 USA.