



Acumulator GBA 18 V 4.0 Ah AS

Acumulator Li-ion cu afișaj al nivelului de încărcare și „Electronic Cell Protection” (ECP). ECP protejează acumulatorul împotriva suprasolicitării, supraîncălzirii și descărcării profunde. Tehnologia COOLPACK 1.0 asigură o durată de viață mai lungă a acumulatorului, comparativ cu acumulatorii fără tehnologie COOLPACK, permițând astfel timpi de operare mai lungi. Compatibil cu toate aparatele cu acumulatori 18V cu AMPShare sau interfață acumulator 18V Bosch Professional.

Numărul produsului: 9 26 04 345 02 0

Specificații

SPECIFICAȚII GENERALE

Tensiune

18 V

Capacitate

4 Ah

Greutate

0,6 kg

Suitable for the following machines

Mașină de găurit-înșurubat cu acumulator

- > ABS 18 Q AS
- > ASCM 18 QSW AS
- > ASCM 18-4 QM AS
- > ASB 18 Q AS
- > ASCM 18-4 QMP AS
- > ABS 18 Q AS Set 5 Ah
- > ASCM 18 QSW AS Set 5 Ah
- > ASCM 18-4 QM AS Set 5 Ah
- > ASB 18 Q AS Set 5 Ah
- > ASCM 18-4 QMP AS Set 5 Ah

MULTIMASTER

- > MULTIMASTER AMM 500 Plus AS cu acumulator
- > MULTIMASTER AMM 700 Max Top 4 Ah AS cu acumulator
- > MULTIMASTER AMM 700 Max AS cu acumulator
- > MULTIMASTER AMM 700 Max Top AS cu
- acumulator
- > Multimaster cu acumulator AMM 500 AS 2 Ah într-o geantă de nailon
- > Multimaster cu acumulator AMM 500 PLUS 4 Ah într-o geantă de nailon
- > MULTIMASTER AMM 700 Max AS cu
- acumulator 4 Ah într-o geantă de nailon
- > MULTIMASTER AMM 500 Plus Top 4 Ah AS cu acumulator
- > MULTIMASTER AMM 500 Plus Top AS cu acumulator

Mașină de înșurubat cu impact

- > ASCD 18-300 W2 AS
- > ASCD 18-300 W2 AS Ready to-use-top Set
- > ASCD 18-300 W2 AS Set 5 Ah
- > ASCD 18-200 W4 AS
- > ASCD 18-200 W4 AS Set 5 Ah

MULTIMASTER AUTOMOTIVE

- > MULTIMASTER AMM 700 1.7 Q cu acumulator
- pentru geamuri auto AS
- > MULTIMASTER AMM 700 1.7 Q AS cu acumulator

Ciocan perforator cu acumulator

- > ABH 18-26 AS



Aspirator umed/uscat

- > ASBS 18-10 AS

Recondiționare rosturi MultiMaster

- > MULTIMASTER AMM 700 recondiționarea rosturilor
1.7 Q pentru