



MULTIMASTER MM 700 1.7 Basic

Oscillating MultiTools - MM 700

Top in its performance class, our MULTIMASTER 700 is ideal for tough automotive applications and includes an extra flat drive head for work in narrow spaces.

Product number: 7 229 69 62 09 0

Details

- + Designed for removing windshields and working on car bodies.
- + Anti-vibration system: Permanently safe, pleasant working conditions with minimum vibrations and outstanding noise damping.
- + Hexagonal accessory mount for optimal torque transfer.
- + 450 W FEIN high-performance motor: Durable, overload-proof, high-performance motor with high proportion of copper for higher cutting speed and ultra-rapid work progress.
- + Tacho generator: Constant speeds, even under load, and infinitely variable electronic speed control.
- + Metal drive head: High load capacity and maximum service life, since all drive head parts are made of metal.
- + Industrial cable: Large operating radius thanks to the 5 m, fine-stranded rubber-clad cable in industrial quality.
- + Perfectly equipped for any job with our L-BOXX system.

Price includes

- + 1 wrench
- + 1 mounting bolt (3 30 01 039 01 7)
- + 1 tool case (L-BOXX 136)
- + 1 whetstone (63719010014)
- + 1 protective cover for accessory changes

Technical data

TECHNICAL DATA

Power consumption

450 W

Power output

250 W

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA
Measurement uncertainty of the measured value KpA

82 dB
3 dB

Sound power level LWA
Measurement uncertainty of the

93 dB
3 dB



Oscillations	10,000 - 19,500 opm	measured value KWA	
Tool mount	12-sided	Peak sound value LpCpeak	96 dB
Tool change	Manual with screw, hexagonal socket	Measurement uncertainty of the measured value KpCpeak	3 dB
Range	2 x 1,7°		
Cable with plug	16.4 [5] ft[m]		
Weight	3.20 [1.45] lbs[kg]		
Weight	3.20 lbs		

Application examples



